

Life Technologies

CERTIFICATE OF ANALYSIS

Catalog Number A31632

Product Name Alexa Fluor® 594 Goat Anti-Rabbit SFX Kit *highly cross-adsorbed*

Lot Number 2352138

	LOT DATA	SPECIFICATION
ABSORPTION ¹ Maximum	590 nm	591 ± 5 nm
Degree of Labeling ²	4	3-5
FLUORESCENCE ¹ Emission Maximum Relative Quantum Yield ³	620 nm 0.8	617 ± 5 nm ≥ 0.3
MICROSCOPY ¹ Immunocytochemistry ⁴	meets specification	good staining, negligible background
PURITY ^{1,5} TLC	meets specification	negligible or no free dye detected
MISCELLANEOUS INFORMATION Component B	meets specification	This product has been tested in a typical application and performed as expected.

- 1. For Component A alone
- 2. Moles of dye per mole of dextran, determined using an ε of 90,000 cm⁻¹M⁻¹ at the absorption maximum
- 3. Quantum yield determined relative to sulforhodamine 101
- 4. Cell staining performed using a primary antibody specific for cell type and isotype, and this product
- 5. Solvent: 80% acetonitrile/20% water

Ramulsmitt

Rachel Smith, Quality Assurance Manager 13-Jul-2021

Life Technologies Corporation, on behalf of its Invitrogen business, Molecular Probes® labeling and detection technologies, certifies on the date above that this is an accurate record of the analysis of the subject lot and that the data conform to the specifications in effect for this product at the time of analysis.