

Life Technologies

CERTIFICATE OF ANALYSIS

Catalog Number F13083

Product Name FluoSpheres[™] polystyrene,1.0 μm, red (580/605) *for tracer studies* *1.0x10¹⁰ beads/mL*

Appearance pink suspension

Medium distilled water, 0.02% thimerosal

Concentration 1 x 10¹⁰ particles/mL

Lot Number 2876713

SONICATE WELL BEFORE USE. STORE AT 2° - 8° C, DO NOT FREEZE

	LOT DATA	SPECIFICATION
ASSAY Dye Loading ¹	22 μg/mg	≥ 12 µg/mg
FLOW CYTOMETRY Percent Singlets CV of Forward Scattering	97% 4%	≥ 85% ≤ 15%
MICROSCOPY Inspection	meets specification	few or no aggregates detectable after sonication
TECHNICAL DATA ² Actual Particle Size Density of Polystyrene	0.95 ± 0.023 μm 1.055 g/cm ³	n.a n.a
MISCELLANEOUS INFORMATION Material Lot Number	2833231	n.a.

^{1.} μg dye/mg dry microspheres

Zach Luedtke, Quality Assurance Manager

Zuch Luetth

11-Jan-2024

Life Technologies Corporation certifies on the date above that this is an accurate record of the analysis of the subject lot, and that the data conform to the specifications in effect for this product at the time of analysis.

Products are under warranty for one year from the date of shipment unless otherwise stated on this document or the product literature.

^{2.} Technical data for the unstained microspheres.