

Life Technologies

CERTIFICATE OF ANALYSIS

Catalog Number F8841

Product Name FluoSpheres® polystyrene microspheres, 15 μm, orange fluorescent (540/560) *for blood flow

determination* *1.0x10⁶ beads/mL*

Appearance pink suspension

Medium 0.15 M NaCl, 0.05% Tween® 20, 0.02% thimerosal

Concentration 1.0 x 10⁶ particles/mL

Lot Number 2652700

SONICATE WELL BEFORE USE. STORE AT 4°C, DO NOT FREEZE

	LOT DATA	SPECIFICATION
ASSAY Dye Loading ¹	28 μg/mg	≥ 9 µg/mg
MICROSCOPY Inspection	meets specification	few or no aggregates detectable after sonication
TECHNICAL DATA ² Actual Particle Size Density of Polystyrene	15.4 ± 0.14 μm 1.06 g/cm ³	n.a n.a
MISCELLANEOUS INFORMATION Material Lot Number	2607623	n.a.

^{1.} μg dye/mg dry microspheres

Zach Luedtke, Quality Assurance Manager

Zuch Luetthe

2-Mar-2023

Life Technologies Corporation certifies on the date above that this is an accurate record of the analysis of the subject lot, and that the data conform to the specifications in effect for this product at the time of analysis.

^{2.} Technical data for the unstained microspheres.