

Life Technologies

CERTIFICATE OF ANALYSIS

Catalog Number Q10103MP

Product Name Qdot[™] 605 streptavidin conjugate, 1 μM; VIVID[™] technology

Appearance red suspension

Medium 1 M betaine, 50 mM borate, pH 8.3 with 0.05% sodium azide

Lot Number 2906441

STORE AT 2 - 8°C, DO NOT FREEZE

	LOT DATA	SPECIFICATION
ABSORBANCE Concentration	1.1 µM	0.9 - 1.1 μM
FLUORESCENCE Emission Maximum	610 nm	608 ± 4 nm
Quantum Yield	77 %	≥65%
Full Width at Half Maximum	30 nm	≤30 nm
MICROSCOPY Immunocytochemisty	meets specification	This product has been tested in a typical immunolabeling application in accordance with the Product Information Sheet. The product performed as expected.
SPECIFIC ACTIVITY Immunosorbent Assay Titration	meets specification	performs against a biotin-labeled substrate
MISCELLANEOUS INFORMATION Material Lot Number	2633509	n.a.

Zach Luedtke, Quality Assurance Manager

Zuch Luettho

1-Sep-2023

Life Technologies Corporation certifies on the date above that this is an accurate record of the analysis of the subject lot, and that the data conform to the specifications in effect for this product at the time of analysis.

Products are under warranty for one year from the date of shipment unless otherwise stated on this document or the product literature.