

Life Technologies CERTIFICATE OF ANALYSIS

Catalog Number	Q10171MP		
Product Name	Qdot® 800 streptavidin conjugate *1 µM solution*		
Appearance	brown suspension		
Medium	1 M betaine, 50 mM borate, pH 8.3 with 0.05% sodium azide		
Lot Number	2433856		

STORE AT 2 - 8°C, DO NOT FREEZE

	LOT DATA	SPECIFICATION
ABSORBANCE Concentration	1.0 µM	0.9 - 1.1 μM
FLUORESCENCE Emission Maximum	794 nm	795 ± 10 nm
Quantum Yield	60 %	≥16%
Full Width at Half Maximum	92 nm	≤100 nm
MICROSCOPY Immunocytochemisty	meets specification	This product has been tested in a typical immunolabeling application in accordance with the Product Information Sheet. The product performed as expected.
SPECIFIC ACTIVITY Immunosorbent Assay Titration	meets specification	performs against a biotin-labeled substrate
MISCELLANEOUS INFORMATION Material Lot Number	2433857	n.a.

Aaron Rider, Quality Control Supervisor 3-Oct-2022 Life Technologies Corporation certifies on the date above that this is an accurate record of the analysis of the subject lot, and that the data conform to the specifications in effect for this product at the time of analysis.

Thermo Fisher Scientific 29851 Willow Creek Road Eugene, OR 97402-9132 Phone +1-541-465-8300 Fax +1-541-335-0504 Printed Oct 03, 2022