




LIFE SCIENCES

INDUSTRY-SPECIFIC PROTECTION SOLUTIONS

QUICK REFERENCE GUIDE

GLOBAL SALES AND SUPPLY CHAIN INFRASTRUCTURE



ANSELL LIFE SCIENCES

Ansell has been providing protection solutions for over 100 years and offers a comprehensive range of personal and product protection solutions to meet the needs of the life sciences industry. There are four main categories of companies we service, each with their own unique needs and challenges, which Ansell addresses with a full range of portfolio solutions:

1. Pharmaceutical industry
2. Biotechnology industry

3. Medical device industry
4. Research laboratories

FEATURED PRODUCTS

BioClean N-Plus BNPS

Elbow length nitrile gloves for extra protection

Benefits:

- 16"/400mm length to reduce risk of cross contamination
- Hand specific to reduce hand fatigue
- Recommended for use in Class 10 (ISO 4) environments
- Suitable for use in electrically sensitive applications

Sizes: 6.0-10.0

Performance Ratings



STERILE

Key Features

Approved for use with chemotherapy drugs (ASTM D 6978)*

Low AQL 0.65



Extra-long length for forearm protection

BioClean-D Drop-down Garment S-BDSH

True aseptic donning design

Benefits:

- Innovative up and over design reduces cross-contamination when donning
- Quick and easy donning procedure to decrease operator donning errors
- Antistatic properties making it ideal for use in electrically sensitive environments
- Low-linting CleanTough Class 10 (ISO 4) cleanroom compatible material
- Elasticated back, hood, cuffs & ankles to reduce the bellows effect

Sizes: S-XXXXL



STERILE

Key Features

Strategically placed quick-release tab system

Thumb loops to ensure a secure hold



Antistatic low-linting material

Sterility Assurance Level 10⁻⁶

BioClean Clearview Autoclavable Panoramic Goggles BCAP

Anti-fog lens for clear vision

Benefits:

- Anti-fog lens
- Super-soft frame
- Indirect ventilation system
- Toughened polycarbonate, anti-scratch lens
- Non-linting latex-free head band
- Tested to withstand 25 autoclave cycles of 30 minutes duration at 121°C/250°F*
- Can be worn over eye-glasses

Sizes: Universal



NON-STERILE

Key Features

Tested to withstand 25 autoclave cycles

Toughened, anti-scratch lens



Anti-fog

*Anti-fog lens shows no degradation after 25 cycles, and lens continues to be clear up to 40 cycles under laboratory conditions.

ANSELL LIFE SCIENCES INDUSTRY PROCESSES

1 WAREHOUSING



Applications:

- Loading and unloading of trucks and vehicles
- Unpacking of bulk goods
- Inventory recording

User needs:

- Dexterity and grip
- Abrasion protection
- Chemical protection

2 RAW MATERIAL PREPARATION



Applications:

- Sample collection
- Transporting raw materials
- Weighing and dispensing of solids and liquids
- Charging and discharging of solids and liquids

User needs:

- Dexterity and grip
- Chemical protection
- Exceptional barrier integrity



Benefits & Features:

- Durable nitrile for longer wear times
- Non-stick surface resists tapes
- Extended cuff version approved for use with chemotherapy drugs*

Microflex Supreno®
SE SU-690 (9.5") /
Supreno® EC SEC-375
(11.6")

EN ISO 374-1/Type B EN ISO 374-5



KPT



VIRUS



Benefits & Features:

- Clean, soft, comfortable nitrile for longer wear
- Enhanced chemical splash protection
- Robust glove protects against ripping

TouchNTuff®
93-300 (clean) /
93-700 (sterile)

EN ISO 374-1/Type B EN ISO 374-5 EN 421



JKPT



VIRUS



Benefits & Features:

- Highly durable and breathable nitrile palm coating for longevity of use
- Soft and comfortable liner
- Silicone Free

HyFlex®
11-840



4131A



ABRASION



CUT



4231



Benefits & Features:

- Low AQL (0.65) for maximum barrier integrity
- Ansell ERGOFORM™ technology
- Thin, strong and durable nitrile

Microflex®
XCEED® XC-310

EN ISO 374-1/Type B EN ISO 374-5



KPT



VIRUS



ERGOFORM™
Ergonomic Design Technology



Benefits & Features:

- ANSELL GRIP™ technology for enhanced wet or oily grip
- Ansell ERGOFORM™ technology to improve comfort and productivity
- Nitrile chemical resistant performance

AlphaTec®
58-128



X121



EN 374



EN 374



ABRASION



Benefits & Features:

- Lightweight, breathable anti-static microporous laminate
- Low linting reduces the risk of contamination in critical areas
- Proven barrier to low concentration chemicals, liquid and particulate biologicals

MicroChem® by
AlphaTec®
68-2000 Ts
PLUS



TYPE 4-B



TYPE 5-B



TYPE 6-B



DIN 32781



EN 1073-2



EN 1149-5



AATCC 76

3 MANUFACTURING



PHARMACEUTICAL

BIOTECHNOLOGY

Applications:

- Loading and unloading of process equipment
- Transferring liquids and solids
- Loading wetcakes and unloading dry products
- Packaging and labeling

User needs:

- Chemical protection
- Dexterity and grip
- Abrasion and puncture resistance
- Sterile and/or clean

Applications:

- Transferring liquids
- Loading centrifuges and chromatography columns
- Sterilizing vials and ampules
- Aseptic filling and labeling

User needs:

- Wet grip
- Sterile and/or clean
- Dexterity
- Double donning



BioClean
N-Plus
BNPS

Benefits & Features:

- 400mm/16" length for extra protection
- Hand specific sterile nitrile
- Approved for use with chemotherapy drugs (ASTM D 6978)*



BioClean
Ultimate
BUPS

Benefits & Features:

- Hand specific sterile thin polychloroprene
- Ultra Clean - Class 10 (ISO 4) compatible
- Beaded cuff for stability on the arm
- 300m/12" length



Microchem® by
AlphaTec®
68-1500 Plus

Benefits & Features:

- Proven to filter 99.9% of particles > 3 microns
- Air and water vapor permeable "breathable"
- Lightweight, breathable anti-static SMS material



BioClean-D
Drop-down
Garment
S-BDSH

Benefits & Features:

- Innovative quick & easy donning design
- Lightweight for increased user comfort/wearability
- Sterile & Class 10 (ISO 4) compatible
- Low-linting antistatic CleanTough material



BioClean DB
BDBS

Benefits & Features:

- High particle, viral & bacterial filtration efficiency
- Ultrasonically sealed edges and low-linting to reduce risk of cross contamination
- Large breathing chamber for increased user comfort
- Sterile & Class 10 (ISO 4) compatible



BioClean
Clearview
Autoclavable
Goggles
BCAP

Benefits & Features:

- Indirect ventilation system to reduce risk of contamination into the controlled environment
- Toughened, anti-scratch, anti-fog lens for clear vision
- Tested to withstand 25 autoclave cycles^



3 MANUFACTURING



MEDICAL DEVICE

4 LABORATORY



R&D AND QUALITY CONTROL LABS

Applications:

- Assembly of parts
- Sterilization of parts
- Packaging & labeling
- Cleanroom cleaning and preparation

User needs:

- Non-contaminating materials
- Dexterity
- Reduced hand fatigue
- Confident protection

Applications:

- Analytical testing
- Blending, compounding solids and/or liquids
- Sample taking and processing
- Quality sampling

User needs:

- Wet and dry grip
- Dexterity
- Chemical protection
- Thermal



Benefits & Features:

- Ultra Clean LPC <400 counts/cm²
- Chemical splash protection
- Robust nitrile protects against punctures

Nitrilite®
93-401

EN ISO 374-1/Type B EN ISO 374-5



JKT



VIRUS



Benefits & Features:

- 2X more chemical splash protection**
- Enhanced durability
- Ultimate barrier (0.40 AQL)

Microflex®
93-850

EN ISO 374-1/Type B EN ISO 374-5



JKOPT



VIRUS



EN 421



TNT™
Chemical Splash
Resistance Technology



Benefits & Features:

- Thin polychloroprene for increased dexterity
- Double-donnable
- Low LPC <850 counts/cm²
- Class 10 (ISO 4) compatible

BioClean BFAP
(non-sterile) /
S-BFAP (sterile)



EN 374



EN 374



Benefits & Features:

- Classic neoprene for wet & dry grip
- Excellent splash resistance to acids, bases & alcohols
- Approved for use with chemotherapy drugs (ASTM D 6978)*

Microflex® NeoPro®
NPG-888 (9.5") /
NeoPro® EC
NEC-288 (11.4")

EN ISO 374-1/Type B EN ISO 374-5



KPT



VIRUS

NOTE: EN symbols apply to NEC-288 ONLY



Benefits & Features:

- Class 10 (ISO 4) compatible low-linting antistatic CleanTough material
- PPE Cat 3 Type 5 & 6 Protection
- Lightweight for increased comfort

BioClean-D
Coverall with
Hood BDCHT
(non-sterile) /
S-BDCHT
(sterile)



PPE CATEGORY



TYPE 5-B



TYPE 6-B



EN 1149-5



Benefits & Features:

- Thermal insulation for cold protection
- Contact heat rated
- Ambidextrous

Therm-A-Knit®
78-101 (Blue) /
78-150 (White)



EN 511



ANSI 3

ABRASION



EN 388

214X



EN 407

X1XXXX

4 LABORATORY



MAINTENANCE AND CLEANUP

Applications:

- Washing glassware
- Removing of broken glass
- Chemical spill or leakage cleanup
- Maintenance of lab equipment

User needs:

- Wet and dry grip
- Chemical protection
- Cut protection
- Heat protection

5 EMERGENCY RESPONSE



Applications:

- Unexpected chemical leaks & spills
- Accidental release of toxic gases
- Biohazard response

User needs:

- Chemical protection
- Flame and fire resistance
- Liquid resistance
- Protection from airborne contamination



AlphaTec®
58-735

Benefits & Features:

- Nitrile barrier shell provides advanced chemical protection
- Cut liner and Nitrile shell provides dexterity, tactility and protection



AJKLMNOPT



4001



Barrier®
02-100

Benefits & Features:

- Multi-layer highly chemical resistant LCP-PE film
- Nonwoven inner liner for perspiration absorption
- Hand specific for enhanced comfort, can be used as a glove liner



1010



ABC



HyFlex® 11-318

Benefits & Features:

- Uncoated cut resistant glove
- Can be worn as a glove liner for cut protection & perspiration absorption
- Touch Screen capable



X34X



ABRASION



CUT



ChemTek
38-612

Benefits & Features:

- Added protection against aggressive chemicals
- Ergonomic design and excellent dexterity
- Viton/ Butyl chemical resistant performance



1010



BCDFL



ABRASION



Microflex®
93-260

Benefits & Features:

- 3 layer design for protection against harsh acids, bases and solvents
- Nitrile & Neoprene for broad resistance
- 12" extended cuff



JKLOPST



VIRUS



2000X



EN 421



Microchem® by
AlphaTec® 6000

Benefits & Features:

- High performance gastight suit
- Protection against chemicals and biological agents
- Highly visible orange color



TYPE 1



EN 14126

VALIDATION PACKS

Ansell understands that there is more intense focus today on quality control and regulatory oversight than ever before.

This is why Ansell has created validation packs, to make compliance and qualification processes easier and faster. Validation packs consist of a multitude of technical, regulatory and scientific documents.

TECHNICAL AND PRODUCT DATA SHEETS



CERTIFICATIONS



TEST REPORTS



Ansell**GUARDIAN**[®]
Global Safety Services

ANSELL GUARDIAN[®]

Ansell Guardian[®] simplifies the selection process. Our unique suite of proprietary tools helps companies maximise safety, while improving productivity and performance across 7 key functional areas of your business.

CHEMICAL GUARDIAN

Ansell Chemical Guardian evaluates the resistance and permeation times of different materials or polymers to provide hand, body and foot protection recommendations that protect workers from specific chemicals, while meeting their needs for benefits such as tactility, grip or low allergy risk protection.

MATERIAL SAFETY DATA SHEET (MSDS)

CAS	CHEMICAL NAME	%
100-21-0	TEREPHTHALIC ACID	100
108-31-6	MALEIC ANHYDRIDE	100
100-82-7	CYCLOHEXANE	100

ASSESSMENT



SCIENTIFIC SUPPORT

Our global network of research labs can help answer your technical questions, troubleshoot and provide other types of support or specialised testing.

In addition, Ansell regularly publishes technical releases and white papers on important industry topics.

**WORKING WITH
CHEMOTHERAPY
DRUGS**

**THE IMPORTANCE
OF ERGONOMICS**

**ALLERGY
PREVENTION**

DOUBLE DONNING

ANSELL HEALTHCARE LLC

111 Wood Avenue South
Suite 210
Iselin, NJ 08830, USA

Tel. 1-800-800-0444

ANSELL CANADA INC

105 Lauder
Cowansville, QC,
J2K 2K8 Canada

Tel. 1-800-363-8340



Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates, except as noted. Dyneema® is a registered trademark owned by Royal DSM N.V. © 2019 Ansell Limited. All Right Reserved.








* See product packaging or contact Ansell Customer Service for specific chemotherapy drug permeation times and recommendations. Recommendations made in this note are based on extrapolations from laboratory test results and information regarding the composition of chemicals and may not adequately represent specific conditions of end use. Synergistic effects of mixing chemicals have not been accounted for. For these reasons, and because Ansell has no detailed knowledge of or control over the conditions of end use, any recommendation must be advisory only and Ansell fully disclaims any liability including warranties related to any statement contained herein.






** Based on EN 374 and ASTM F739 chemical permeation test data, when compared to performance of disposable nitrile gloves of a similar weight







WARNING: No glove provides complete protection against cuts, abrasions or chemicals. Users should test the suitability of Ansell products for a particular purpose, for use within a particular environment or against particular chemicals.








WARNING: Natural Rubber Latex may cause allergic reactions in sensitive individuals.






LIFE SCIENCES QUICK REFERENCE GUIDE

ANSELL STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
Warehousing			
SU-690		19048723AA	Durable, Heavy-Duty CoverageNitrile Exam Gloves XS
		19048723A	Durable, Heavy-Duty CoverageNitrile Exam Gloves S
		19048723B	Durable, Heavy-Duty CoverageNitrile Exam Gloves M
		19048723C	Durable, Heavy-Duty CoverageNitrile Exam Gloves L
		19048723D	Durable, Heavy-Duty CoverageNitrile Exam Gloves XL
SEC-375		19051314A	Nitrile, Extended Cuff Exam Gloves, Blue, Size S
		19051314B	Nitrile, Extended Cuff Exam Gloves, Blue, Size M
		19051314C	Nitrile, Extended Cuff Exam Gloves, Blue, Size L
		19051314D	Nitrile, Extended Cuff Exam Gloves, Blue, Size XL
		19051314E	Nitrile, Extended Cuff Exam Gloves, Blue, Size 2X
		XXXXXXX	Nitrile, Extended Cuff Exam Gloves, Blue, Size 3X
11-840		19010338	Extreme durability for extended wear in abrasive applications 6
		19010339	Extreme durability for extended wear in abrasive applications 7
		19010340	Extreme durability for extended wear in abrasive applications 8
		19010341	Extreme durability for extended wear in abrasive applications 9
		19010342	Extreme durability for extended wear in abrasive applications 10
		19010343	Extreme durability for extended wear in abrasive applications 11
58-128		17999831	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 7
		17999832	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 8
		17999833	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 9
		17999834	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 10
		17999835	Nitrile, Chemical Protection, Ansell Grip Gloves, Gray/Green, Size 11
Raw Material Preparation			
93-300		19823522	Nitrile, Latex-Free, Robust, Non Sterile S
		19823523	Nitrile, Latex-Free, Robust, Non Sterile M
		19823524	Nitrile, Latex-Free, Robust, Non Sterile L
		19823525	Nitrile, Latex-Free, Robust, Non Sterile XL
93-700		19823518	Sterile Nitrile GloveRobust Latex Free Nitrile Single Use S
		19823519	Sterile Nitrile GloveRobust Latex Free Nitrile Single Use M
		19823520	Sterile Nitrile GloveRobust Latex Free Nitrile Single Use L
		19823521	Sterile Nitrile GloveRobust Latex Free Nitrile Single Use XL
XC-310		19177520	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size XS
		19177521	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size S
		19177522	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size M
		19177523	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size L
		19177524	Nitrile, 2.8 mil Exam Gloves, ERGOFORM™, Blue, Size XL

ANSELL STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
68-2000TS PLUS		19500822	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size S
		19500823	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size M
		19500824	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size L
		19500825	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size XL
		19500826	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size 2X
		19500827	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size 3X
		19500828	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size 4X
		19500829	MICROCHEM® by AlphaTec® 682000TsPlus Taped Hooded Coverall, Size 5X
Manufacturing (Pharmaceutical)			
BNPS		19668013	Elbow length nitrile gloves for extra protection 6.0
		19668014	Elbow length nitrile gloves for extra protection 6.5
		19668059	Elbow length nitrile gloves for extra protection 7.0
		19668060	Elbow length nitrile gloves for extra protection 7.5
		19668061	Elbow length nitrile gloves for extra protection 8.0
		19668062	Elbow length nitrile gloves for extra protection 8.5
		19668063	Elbow length nitrile gloves for extra protection 9.0
		19668064	Elbow length nitrile gloves for extra protection 10.0
68-1500 Plus		19500814	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size S
		19500815	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size M
		19500816	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size L
		19500817	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size XL
		19500818	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size 2XL
		19500819	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size 3XL
		1950082	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size 4XL
		19500821	MICROCHEM® by AlphaTec® 681500Plus Serged Hooded Coverall Navy, Size 5XL
BDBS		19668005	Sterile & Class 10 (ISO 4) compatible
Manufacturing (Biotechnology)			
BUPS		19668033	Ultra Clean - Class 10 (ISO 4) compatible 6
		19668034	Ultra Clean - Class 10 (ISO 4) compatible 6.5
		19668035	Ultra Clean - Class 10 (ISO 4) compatible 7.0
		19668036	Ultra Clean - Class 10 (ISO 4) compatible 7.5
		19668037	Ultra Clean - Class 10 (ISO 4) compatible 8.0
		19668038	Ultra Clean - Class 10 (ISO 4) compatible 8.5
		19668039	Ultra Clean - Class 10 (ISO 4) compatible 9.0
		19500809	Ultra Clean - Class 10 (ISO 4) compatible 10.0

ANSELL STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
S-BDSH		19500810	Sterile & Class 10 (ISO 4) compatible XS
		19668310	Sterile & Class 10 (ISO 4) compatible S
		19668311	Sterile & Class 10 (ISO 4) compatible M
		19668312	Sterile & Class 10 (ISO 4) compatible L
		19668313	Sterile & Class 10 (ISO 4) compatible XL
		19668314	Sterile & Class 10 (ISO 4) compatible XXL
		19668315	Sterile & Class 10 (ISO 4) compatible 3XL
		19668316	Sterile & Class 10 (ISO 4) compatible 4XL
		19500813	Sterile & Class 10 (ISO 4) compatible 5XL
		19500812	Sterile & Class 10 (ISO 4) compatible 6XL
BCAP		19668345	Indirect ventilation system to reduce risk of contamination into the controlled environment
Manufacturing (Medical Device)			
93-401		19014689A	Ambidextrous, nitrile cleanroom gloves with textured fingers 12" / 305mm length S
		19014689B	Ambidextrous, nitrile cleanroom gloves with textured fingers 12" / 305mm length M
		19014689C	Ambidextrous, nitrile cleanroom gloves with textured fingers 12" / 305mm length L
		19014689D	Ambidextrous, nitrile cleanroom gloves with textured fingers 12" / 305mm length XL
BFAP		19668100	Class 10 (ISO 4) compatible XS
		19668101	Class 10 (ISO 4) compatible S
		19668102	Class 10 (ISO 4) compatible M
		19668103	Class 10 (ISO 4) compatible L
		19668104	Class 10 (ISO 4) compatible XL
		19668105	Class 10 (ISO 4) compatible 2XL
S-BFAP		19668161	Class 10 (ISO 4) compatible 5 - 5.5
		19668162	Class 10 (ISO 4) compatible 6 - 6.5
		19668163	Class 10 (ISO 4) compatible 7 - 7.5
		19668164	Class 10 (ISO 4) compatible 8 - 8.5
		19668165	Class 10 (ISO 4) compatible 9
		19668166	Class 10 (ISO 4) compatible 10
BDCHT		19668359	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material XS
		19668360	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material S
		19668361	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material M
		19668362	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material L
		19668363	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material XL
		19668364	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 2XL
		19668365	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 3XL
		19668366	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 4XL

ANSELL STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
S-BDCHT		19668351	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material XS
		19668352	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material S
		19668353	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material M
		19668354	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material L
		19668355	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material XL
		19668356	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 2XL
		19668357	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 3XL
		19668358	Class 10 (ISO 4) compatible low-linting an-tistatic CleanTough material 4XL
Laboratory (R&D & Quality Control)			
93-850		19010170	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology XS
		19010171	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology S
		19010172	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology M
		19010173	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology L
		19010174	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology XL
		19010175	Ultimate Barrier Disposable Nitrile Glovewith TNT™ Technology 2XL
NPG-888		191203010A	Powder-Free Examination Gloves XS
		191203010B	Powder-Free Examination Gloves S
		191203010C	Powder-Free Examination Gloves M
		191203010D	Powder-Free Examination Gloves L
		191203010E	Powder-Free Examination Gloves XL
NEC-288		19050340A	Powder-Free Examination Gloves S
		19050340C	Powder-Free Examination Gloves M
		19050340D	Powder-Free Examination Gloves L
		19050340F	Powder-Free Examination Gloves XL
		19050340G	Powder-Free Examination Gloves 2XL
78-101		19806113	Lightweight, 13 Gauge, Elasticized Knitwrist
78-150		19069586	Lightweight, 13 Gauge, Elasticized Knitwrist
Laboratory (Maintenance & Cleanup)			
58-735		19168562	Advanced chemical protection plus excellent cut resistance 6
		19168563	Advanced chemical protection plus excellent cut resistance 7
		19168564	Advanced chemical protection plus excellent cut resistance 8
		19168565	Advanced chemical protection plus excellent cut resistance 9
		19168566	Advanced chemical protection plus excellent cut resistance 10
		19168567	Advanced chemical protection plus excellent cut resistance 11

ANSELL STYLE NO.	IMAGE	Fisher Cat. No.	PRODUCT DESCRIPTION
11-318		19152304	INTERCEPT™ Cut Resistant Liner, Gray, Size 6
		19152305	INTERCEPT™ Cut Resistant Liner, Gray, Size 7
		19152306	INTERCEPT™ Cut Resistant Liner, Gray, Size 8
		19152307	INTERCEPT™ Cut Resistant Liner, Gray, Size 9
		19152308	INTERCEPT™ Cut Resistant Liner, Gray, Size 10
		19152309	INTERCEPT™ Cut Resistant Liner, Gray, Size 11
93-260		19010151	Thinnest Chemical Resistant Synthetic Composite Single Use Glove XS
		19010152	Thinnest Chemical Resistant Synthetic Composite Single Use Glove S
		19010153	Thinnest Chemical Resistant Synthetic Composite Single Use Glove M
		19010154	Thinnest Chemical Resistant Synthetic Composite Single Use Glove L
		19010155	Thinnest Chemical Resistant Synthetic Composite Single Use Glove XL
		19010156	Thinnest Chemical Resistant Synthetic Composite Single Use Glove 2XL
Emergency Response			
02-100		19010058	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 6
		19148520	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 7
		19034564C	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 8
		19034564D	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 9
		19034564E	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 10
		19034564F	HPPE, Chemical Resistant Glove, White, 2.5 mil, Size 11
38-612		19162032	Viton/Butyl, Chemical Resistant Glove, Black, 4/8 mil, Size 8
		19161442	Viton/Butyl, Chemical Resistant Glove, Black, 4/8 mil, Size 9
		19162033	Viton/Butyl, Chemical Resistant Glove, Black, 4/8 mil, Size 10
MicroChem By AlphaTec 6000		18000026	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size S
		18000027	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size M
		18000028	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size L
		18000029	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size XL
		18000030	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size 2XL
		18000031	MICROCHEM® by AlphaTec® 686000 Level A Gastight Suit Dual Glv Internal Link, Size 3XL

Ansell

© 2019 Thermo Fisher Scientific Inc. All Rights Reserved.
Trademarks used are owned as indicated at fishersci.com/trademarks.

In the United States

For customer service, call 1-800-766-7000
To fax an order, use 1-800-926-1166
To order online: www.fishersci.com

In Canada:

For customer service, call 1-800-234-7437
To fax an order, use 1-800-463-2996
To order online: www.fishersci.ca

 **fisher scientific**
part of Thermo Fisher Scientific