# **EU-TYPE EXAMINATION CERTIFICATE**

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.



Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :

### HONEYWELL SAFETY PRODUCTS EUROPE

ZI PARIS NORD II, 33 Rue des Vanesses BP 55288 Villepinte 95958 ROISSY CHARLES DE GAULLE / France

Description **PPE Type : Product reference :** Article code : Construction and material of outsole : **Pictures** :

a safety footwear **BAC'RUN PROTECTOR EVO S3 M HRO SRC** 6245893

Nitrile / PU (Injected)

HONEYWELL

ZI Paris Nord II, 33 rue des Vanesses 95958 ROISSY CDG- FRANCE

S3 M HRO SRC

6245893 / 42 **BAC'RUN PROTECTOR EVO** 

EN ISO 20345:2011



EN ISO 20345 : 2011 **Reference standard : Classification : I** Size range : 38 - 48

**Toecap nature : Non Metallic** 

Category : S3 M HRO SRC

Slip resistance : SRC

Insert nature : Non Metallic

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from MARCH. 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

**Didier GUISADO** 

Certification and Quality Manager

Accreditation n# 5-0594

Scope available on: www.cofrac.fr

Guides



Date of first issue : 31 March 2021

Cat. II

End of validity date : 31 March 2026





In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC

cemarking@ctcgroupe.com

www.ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroguinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

### HONEYWELL SAFETY PRODUCTS EUROPE

## **MANUFACTURER'S TECHNICAL FILE**

Reference of the product :	BAC'RUN PROTECTOR EVO S3 M HRO SRC
Article code :	6245893
Technical file index :	01
Last update :	MARCH, 2021

### **IDENTIFICATION**

Reference of the product : Article Code : Major variant of model : Technical file index : Last update : BAC'RUN PROTECTOR EVO S3 M HRO SRC 6245893 EXONO EVO S3 HRO SRC 6245890 01 MARCH, 2021

#### Manufacturer :

HONEYWELL SAFETY PRODUCTS EUROPE

ZI PARIS NORD II, 33 Rue des Vanesses BP 55288 Villepinte

95958 ROISSY CHARLES DE GAULLE / France

tel : 0033(0) 1 49 90 70 03 fax : 0033(0) 1 49 90 70 04

Factory :

**RAHMAN** Industries Ltd

Regd Office, Division Upper & Shoes-PU, 184/167 Wajidpur, Jajmau, Kanpur

208 010, Uttar Pradesh, INDIA

### FOOTWEAR DESCRIPTION

#### Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: B : ankle boot

#### **Visual description:**

General view :



Outsole view :



Reference of the mould : HRO

#### Range of sizes :

38 - 48

#### Construction and material of outsole :

Nitrile / PU (Injected)

#### Field of use

General Industry, Logistic, Maintenance, Production, Services, Light Industry, Utilities

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)					
		Applicable		Covered by	
			$\checkmark$	Standard	
§1	Requirements defined in the Annex II §1 are applicable to all PPE	$\checkmark$	$\checkmark$	Instruction for use	
	to all PPE		$\checkmark$	Marking	
	Manufacturer's instructions and information is available	$\checkmark$		Standard	
§1.4			$\checkmark$	Instruction for use	
				Marking	
	PPE is designed and manufactured in a way that			Standard	
§2.2	perspiration resulting from use is minimised. Otherwise	$\checkmark$	$\checkmark$	Instruction for use	
-	it must be equipped with means of absorbing		<u> </u>	Marking	
	perspiration. If it is known that the design performance of new PPE			Marking	
	may be significantly affected by ageing, the month and	_	$\checkmark$	Standard	
	year of manufacture and/or, if possible, the month and	$\checkmark$			
§2.4	year of obsolescence must be indelibly and		$\checkmark$	Instruction for use	
	unambiguously marked on each item of PPE placed on				
	the market and on its packaging.		$\checkmark$	Marking	
	DDC is intended for use in restartially avalative		$\checkmark$	Standard	
§2.6	PPE is intended for use in potentially explosive atmospheres	$\checkmark$	$\checkmark$	Instruction for use	
	atmospheres		$\checkmark$	Marking	
	PPE incorporating components which can be adjusted or removed by the user	<ul> <li></li> </ul>	$\checkmark$	Standard	
§2.9			$\checkmark$	Instruction for use	
				Marking	
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and	7	$\checkmark$	Standard	
§2.12			$\checkmark$	Instruction for use	
	safety		$\checkmark$	Marking	
§2.14	Multi-risk PPE	$\checkmark$	$\checkmark$	Standard	
			$\checkmark$	Instruction for use	
			$\checkmark$	Marking	
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	$\checkmark$	$\checkmark$	Standard	
				Instruction for use	
			$\checkmark$	Marking	
§3.1.2.1	The PPE is intended to protect against falls due to slipping	$\checkmark$		Standard	
			✓	Instruction for use	
			✓	Marking	
	The PPE is intended to protect against static compression of a part of the body	7	$\checkmark$	Standard	
§3.2				Instruction for use	
				Marking	
§3.3	The PPE is intended to protect against mechanical injuries	$\checkmark$		Standard	
				Instruction for use	
			✓	Marking	
§3.6		$\overline{}$	✓	Standard	
	Protection against heat and/or fire		$\checkmark$	Instruction for use	
			$\checkmark$	Marking	

### FOOTWEAR CONSTITUTION

_	Ref	Material	Color
	L117	BUFF S3 APOLLO BLACK 1.8/2.0	BLACK
UPPER	S115	ARMSTRONL BLACK WITH NON WOVEN LAMINATED (Synthetic)	BLACK
COLLAR	L119	BUFF LINING MADRAS BLACK 0.9/1.1	BLACK
	L119	BUFF LINING MADRAS BLACK 0.9/1.1	BLACK
TONGUE	S109	SYNTHETIC LINING PU COAGULATED BLACK	BLACK
	L117	BUFF S3 APOLLO BLACK 1.8/2.0	BLACK
VAMP LINING	S101	SYNTHETIC LINING NON WOVEN	GREY
	S118	BLK/BEIGE WITH FOAM LAMINATED	BLACK/BEIGE
QUARTER LINING	S103	TAIBRELLE LAMINATED BLACK(T)	BLACK
INSOCK	SK108	HRO SOCKS	BLACK/GREY
	RS103	HRO RUBBER SOLE	BLACK
OUTSOLE	PM101	PU MID SOLE	BLACK
INSOLE	S113	ANTISTATIC INSOLE TEXTILE	BEIGE
TOE CAP FG102		FIBER TOE CAP R-71 WITH STRIP - IDEM R71	
INSERT	S113	ANTISTATIC INSOLE TEXTILE	BEIGE
		FLAP RUBBER	BLACK
DECORATIVE ELEMENTS		BOTTOM NOTCH 11 MM COPPER / BLACK	BLACK
		BUCKLE NICKLE + REVIT BUTTON 7/9 MM. NICKLE	

### **PROTECTION SCOPE**

#### **Basic requirements :**

This product has been designed to be a safety footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345 : 2011 : Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

#### Additional requirements :

The additional requirements are :

- Closed seat region
- Antistatic footwear
- Energy absorption of seat region
- Fuel oil resistance
- Upper : Water penetration and water absorption
- Penetration resistance
- Outsole :Resistance to hot contact
- Metatarsal protection

### **MARKING - PACKAGING**

#### Information printed on the footwear :

- \* Logo of the Manufacturer
- \* Logo CE
- Manufacturer's type designation
- \* Postal address of manufacturer
- Footwear's reference BAC'RUN PROTECTOR EVO S3 M HRO SRC
- Article code 6245893
- Size
- \* Year of manufacture and at least quarter
- The number and year of the Standard used
- The symbol(s) of the additional requirements

#### Marking example :



The location of marking is : Sur soufflet

#### Method of marking on the footwear :

Sur étiquette piquée sur soufflet

#### **Packaging**:

Par paire dans boîte individuelle

#### technical rules : Laboratory Reference Laboratory Reference CTC L200914111\_1 CTC D210100126 1 CTC L200914509 1 L200914112 1 CTC DELF21001299 REV-1 CTC L200914098 1 INTERTEK L201016765\_1 CTC L201118138 1 CTC $L200914099_1$ CTC CTC D210303107\_1 L200914096 1 L200710817\_1 CTC CTC CTC L200914097 1 CTC L200710819 1 CTC L200710823 1 CTC L200914105 1 CTC L200710824\_1 CTC L200914106 1 CTC L200914519 1 CTC L200710814\_1 L200914522\_1 CTC CTC L200710815 1 L200914527\_1 CTC L200914526 1 CTC L200914529\_1 CTC CTC L210201732\_1 CTC L200813256 1 CTC L200813255\_1 CTC L200813258\_1 CTC L201119000\_1

### References of test reports performed in order to verify the compliance with the requirements of the

### **MEANS OF CONTROL**

ISO 9001 from DNV GL – Business Assurance with the number 26849-2008-AQ-IND-RvA Daily Upper/Sole Bond, outsole interlayer bonding Weekly Impact/Compression resistance, outsole strength, outsole abrasion



#### **PPE subject to ageing :**

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

#### **Declaration of conformity :**

Available on : https://doc.honeywellsafety.com/