	Revision Date 27.06.2015	Version 1.1
SECTION 1. Identification of the su 1.1 Product identifier	ibstance/mixture and of the company	y/undertaking
Catalogue No.	635492	
Product name	MCE .45UM WH PL 47MM 100PK	
REACH Registration Number	This product is a mixture. REACH F	Registration Number see section 3.
1.2 Relevant identified uses of th	e substance or mixture and uses adv	vised against
Identified uses	Filtration For additional information on uses p portal (www.merckgroup.com).	please refer to the Merck Chemicals
1.3 Details of the supplier of the s	safety data sheet	
Responsible Department Regional representation	EQ-RS * e-mail: prodsafe@merckg Merck Chemicals Ltd * Boulevard In Beeston * Nottingham * NG9 2JR * information@merckchem.co.uk.	ndustrial Park * Padge Road *
1.4 Notrufnummer	+49 (0) 6151 722440	

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Flammable solid, Category 1, H228 For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC) F

Highly flammable

R11

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms



Signal word Danger

Hazard statements H228 Flammable solid.

Precautionary statements Prevention

Catalogue No.635492Product nameMCE .45UM WH PL 47MM 100PK

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response

P370 + P378 In case of fire: Use powder for extinction.

Reduced labelling (<125 ml)

Hazard pictograms



Signal word Danger

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P370 + P378 In case of fire: Use powder for extinction.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Contains nitrocellulose. 3.1 Substance

Not applicable

3.2 Mixture

Remarks

No disclosure requirement according to Regulation (EC) No. 1907/2006.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

Risk of methaemoglobin formation.

4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Water, Foam, Carbon dioxide (CO2), Dry powder

Catalogue No.	635492
Product name	MCE .45UM WH PL 47MM 100PK

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Spontaneous ignition at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire. Fire may cause evolution of: nitrogen oxides, nitrous gases

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling Advice on safe handling

Observe label precautions.

Advice on protection against fire and explosion Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Catalogue No.	635492
Product name	MCE .45UM WH PL 47MM 100PK

Tightly closed. Dry. Keep away from heat and sources of ignition. Keep away from direct sunlight.

Performing regular visual inspections of membranes and keeping accurate records of recommended shelf life can reduce the risk of membrane deterioration. Shelf-life limited when kept above +25°C. Verify on a regular basis expiry dates of stored materials, housekeeping, temperature and humidity. Designated "Flammable Material" storage areas must be engineered according to local regulations. Rotate stock. Improper storage conditions can accelerate deterioration of the membrane in advance of expiration date. Storage humidity: 30 - 70 %. Perform regular visual inspections of stored materials to ensure early stages of deterioration does not advance. Early stages of deterioration: Amber or yellow discoloration. Advanced stages of deterioration: visible liquid or solid brown resin. If membrane shows visual indications of deterioration, safely dispose of product according to local regulations.

There is an 18 month expiration date given to all triton-free nitrocellulose membranes. Storage under improper conditions could lead to the membrane self-decomposing at ambient temperatures with the formation of nitrous vapors or self ignition.

Recommended storage temperature see product label.

Advice on common storage

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection Safety glasses

Hand protection

full contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0.11 mm
	Break through time:	> 480 min
splash contact:		
	Glove material:	Nitrile rubber
	Glove thickness:	0.11 mm
	Break through time:	> 480 min

Catalogue No.	635492	
Product name	MCE .45UM WH PL 47MM 100PK	

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	coloured
Odour	No strong odour known.
Odour Threshold	No information available.
рН	No information available.
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	The substance or mixture is a flammable solid with the category 1.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Density	No information available.

The Safety Data Sheets for catalogue items are available at www.merckgroup.com

Catalogue No. Product name	635492 MCE .45UM WH PL 47MM 100PK
Relative density	No information available.
Water solubility	No information available.
Partition coefficient: n-	No information available.
octanol/water Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none
9.2 Other data	

none

SECTION 10. Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

Product is sensitive to light and moisture. Prolonged exposure to air may cause discolouration.

10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with: Oxidizing agents, Bases, Strong acids

10.4 Conditions to avoid

Heating (decomposition). Exposure to sunlight.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity This information is not available.

Acute inhalation toxicity This information is not available.

Acute dermal toxicity This information is not available.

Catalogue No. Product name

Skin irritation

This information is not available.

Eye irritation This information is not available.

Sensitisation

This information is not available.

Germ cell mutagenicity This information is not available.

Carcinogenicity This information is not available.

Reproductive toxicity This information is not available.

Teratogenicity This information is not available.

Specific target organ toxicity - single exposure This information is not available.

Specific target organ toxicity - repeated exposure This information is not available.

Aspiration hazard This information is not available.

11.2 Further information

After uptake of large quantities: Risk of methaemoglobin formation. However, when the product is handled appropriately, hazardous effects are unlikely to occur. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Mixture

12.1 Toxicity No information available.

- **12.2 Persistence and degradability** No information available.
- **12.3 Bioaccumulative potential** No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

Catalogue No.635492Product nameMCE .45UM WH PL 47MM 100PK

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Notice Directive on waste 2008/98/EC.

SECTION 14. Transport information Land transport (ADR/RID) 14.1 UN number UN 3270 14.2 Proper shipping name NITROCELLULOSE MEMBRANE FILTERS 14.3 Class 4.1 14.4 Packing group Ш 14.5 Environmentally hazardous --14.6 Special precautions for yes user Tunnel restriction code Е Inland waterway transport (ADN) Not relevant Air transport (IATA) UN 3270 14.1 UN number 14.2 Proper shipping name NITROCELLULOSE MEMBRANE FILTERS 14.3 Class 4.1 14.4 Packing group Ш 14.5 Environmentally hazardous --14.6 Special precautions for no user Sea transport (IMDG) 14.1 UN number UN 3270 NITROCELLULOSE MEMBRANE FILTERS 14.2 Proper shipping name 14.3 Class 4.1 14.4 Packing group Ш 14.5 Environmentally hazardous 14.6 Special precautions for yes

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

F-A S-I

user

EmS

Catalogue No.	635492
Product name	MCE .45UM WH PL 47MM 100PK

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

	<i>EU regulations</i> Major Accident Hazard Legislation	96/82/EC Directive 96/82/EC do	es not apply
	Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.	
	Regulation (EC) No 1005/200 deplete the ozone layer	9 on substances that	not regulated
Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC		of 29 April 2004 on	not regulated
Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals		÷ .	not regulated
Substances of very high concern (SVHC)		ern (SVHC)	This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \ge 0.1 % (w/w).
	<i>National legislation</i> Storage class	4.1B	

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H228 Flammable solid.

Full text of R-phrases referred to under sections 2 and 3

R11 Highly flammable.

Training advice Provide adequate information, instruction and training for operators.

Labelling Hazard pictograms



Signal word Danger

Catalogue No.635492Product nameMCE .45UM WH PL 47MM 100PK

Hazard statements H228 Flammable solid. Precautionary statements Prevention P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Response P370 + P378 In case of fire: Use powder for extinction. Labelling (67/548/EEC or 1999/45/EC) Highly flammable Symbol(s) 👋 F R-phrase(s) Highly flammable. 11 S-phrase(s) 16 Keep away from sources of ignition - No smoking. Reduced labelling (≤125 ml) Highly flammable Symbol(s) 👲 F Key or legend to abbreviations and acronyms used in the safety data sheet Used abbreviations and acronyms can be looked up at www.wikipedia.org. Millipore Ref. HAWP04700

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.