

Printing 19.08.2019 version number 33 Revision: 19.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

*1.1 Product identifier

*Trade name: METHYL RED SOLUTION

*Article number: 1055102 *Registration number

A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

*1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

*Application of the substance / the mixture Laboratory Chemicals

*1.3 Details of the supplier of the safety data sheet

*Manufacturer/Supplier:

Reagecon Diagnostics Ltd.

Shannon Free Zone,

Shannon,

Co. Clare,

Ireland.

Tel +353 61 472622

Fax +353 61 472642

*Further information obtainable by contacting: sds@reagecon.ie

*1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incident

Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC

For Ireland call +(353)-19014670

For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800

SECTION 2: Hazards identification

*2.1 Classification of the substance or mixture

*Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

*2.2 Label elements

*Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

*Hazard pictograms





GHS02

GHS07

*Signal word Danger

*Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

(Contd. on page 2)



Printing 19.08.2019 version number 33 Revision: 19.08.2019

Trade name: METHYL RED SOLUTION

(Contd. of page 1)

*Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

*2.3 Other hazards

*Results of PBT and vPvB assessment

*PBT: Not applicable. *vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

*3.2 Chemical characterisation: Mixtures

*Description: Mixture of substances listed below with nonhazardous additions.

*Dangerous components:

CAS: 64-17-5 ethyl alcohol EINECS: 200-578-6

Flam. Liq. 2, H225; Eye Irrit. 2, H319

25-50%

SECTION 4: First aid measures

*4.1 Description of first aid measures

*After inhalation:

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention if any discomfort continues.

*After skin contact: Generally the product does not irritate the skin.

*After eve contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse. Get medical attention if symptoms persist.

*After swallowing: If symptoms persist consult doctor.

*4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

*5.1 Extinguishing media

*Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

*5.2 Special hazards arising from the substance or mixture No further relevant information available.

*5.3 Advice for firefighters

*Protective equipment:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers

^{*}Additional information: For the wording of the listed hazard phrases refer to section 16.



Printing 19.08.2019 version number 33 Revision: 19.08.2019

Trade name: METHYL RED SOLUTION

(Contd. of page 2)

SECTION 6: Accidental release measures

*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

*6.2 Environmental precautions:

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

*6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

*7.1 Precautions for safe handling

Keep receptacles tightly sealed.

No special precautions are necessary if used correctly.

*Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

*7.2 Conditions for safe storage, including any incompatibilities

- *Storage
- *Requirements to be met by storerooms and receptacles: Store in a cool location.
- *Information about storage in one common storage facility: Not required.
- *Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

*7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

*8.1 Control parameters

*Ingredients with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethyl alcohol

OEL (Ireland) Short-term value: 1000 ppm
PEL (USA) Long-term value: 1900 mg/m³, 1000 ppm
REL (USA) Long-term value: 1900 mg/m³, 1000 ppm
TLV (USA) Short-term value: 1880 mg/m³, 1000 ppm

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (ENI4387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

(Contd. on page 4)

^{*}Additional information: The lists valid during the making were used as basis.

^{*8.2} Exposure controls

^{*}Personal protective equipment:

^{*}General protective and hygienic measures: Wash hands before breaks and at the end of work.

^{*}Respiratory protection:



Printing 19.08.2019 version number 33 Revision: 19.08.2019

Trade name: METHYL RED SOLUTION

(Contd. of page 3)

*Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/ EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

*Eye protection:



Tightly sealed goggles: Use equipment for eye protection tested and approved under appropriate government standards

such as NIOSH (US) or EN 166(EU)

SECTION 9: Physical and chemical properties

*9.1 Information on basic physical and chemical properties

*General Information

*Appearance:

Form: Liquid

Colour: According to product specification

*Odour: Characteristic
*Odour threshold: Not determined.

*pH-value: Not determined.

*Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 78 °C

*Flash point: 13 °C

(Contd. on page 5)

^{*}Engineering Controls: No further data; see item 7.



Printing 19.08.2019 version number 33 Revision: 19.08.2019

Trade name: METHYL RED SOLUTION

	(Contd. of page 4
*Flammability (solid, gas):	Not applicable.
*Ignition temperature:	425 °C
*Decomposition temperature:	Not determined.
*Auto-ignition temperature:	Product is not selfigniting.
*Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.
*Explosion limits:	
Lower:	3.5 Vol %
Upper:	15 Vol %
*Vapour pressure at 20 °C:	59 hPa
*Density:	Not determined.
*Relative density	Not determined.
*Vapour density	Not determined.
*Evaporation rate	Not determined.
*Solubility/ miscibility with	
water:	Fully miscible.
*Partition coefficient: n-octanol/water:	Not determined.
*Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
*Solvent content:	
Organic solvents:	50.0 %
*9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- *10.1 Reactivity No further relevant information available.
- *10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *10.3 Possibility of hazardous reactions No dangerous reactions known.
- *10.4 Conditions to avoid No further relevant information available.
- *10.5 Incompatible materials: No further relevant information available.
- *10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- *11.1 Information on toxicological effects
- *Acute toxicity Based on available data, the classification criteria are not met.
- *Primary irritant effect:
- *Skin corrosion/irritation Based on available data, the classification criteria are not met.
- *Serious eye damage/irritation
- Causes serious eye irritation.
- *Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- *Germ cell mutagenicity Based on available data, the classification criteria are not met.
- *Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.
- *STOT-single exposure Based on available data, the classification criteria are not met.
- *STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing 19.08.2019 version number 33 Revision: 19.08.2019

Trade name: METHYL RED SOLUTION

(Contd. of page 5)

*Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- *12.1 Toxicity
- *Aquatic toxicity: No further relevant information available.
- *12.2 Persistence and degradability No further relevant information available.
- *12.3 Bioaccumulative potential No further relevant information available.
- *12.4 Mobility in soil No further relevant information available.
- *Additional ecological information:
- *General notes: Not hazardous for water.
- *12.5 Results of PBT and vPvB assessment
- *PBT: Not applicable.
- *vPvB: Not applicable.
- *12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- *13.1 Waste treatment methods
- *Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- *European waste catalogue
- HP3 Flammable
- HP4 Irritant skin irritation and eye damage
- *Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.
- *Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

*14.1 UN-Number *ADR, IMDG, IATA	UNI 170
*14.2 UN proper shipping name	
*ADR	1170 ETHANOL (ETHYL ALCOHOL)
*IMDG	ETHANOL (ETHYL ALCOHOL)
*IATA	ETHANOL

- *14.3 Transport hazard class(es)
- *ADR, IMDG, IATA



3 Flammable liquids.
3
II
No
Warning: Flammable liquids.

(Contd. on page 7)



Printing 19.08.2019 version number 33 Revision: 19.08.2019

Trade name: METHYL RED SOLUTION

	(Contd. of page
*Danger code (Kemler):	33
*EMS Number:	F- E , S - D
*Stowage Category	A
*14.7 Transport in bulk according to Ann	nex II of
Marpol and the IBC Code	Not applicable.
*Transport/Additional information:	
*ADR	
*Limited quantities (LQ)	IL
*Transport category	2
*Tunnel restriction code	D/E
*UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

SECTION 15: Regulatory information

*15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

*National regulations:

Class	Share in %
Wasser	49.9
NK	50.0

^{*}Waterhazard class: Generally not hazardous for water.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*Relevant Phrases:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

*Department issuing SDS: Health and Safety

*Contact: sds@reagecon.ie

*Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

REACH (Registration, Evaluation, Authorisation and restriction of Chemicals)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

(Contd. on page 8)

^{*}Directive 2012/18/EU

^{*}Named dangerous substances - ANNEX I None of the ingredients is listed.

^{*}Seveso category P5c FLAMMABLE LIQUIDS

^{*}Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

^{*}Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

^{*}REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

^{*15.2} Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing 19.08.2019 version number 33 Revision: 19.08.2019

Trade name: METHYL RED SOLUTION

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

*NO