

Printing 19.08.2019

Safety data sheet according to 1907/2006/EC, Article 31 version number 14 Revision: 19.08.2019 SECTION 1: Identification of the substance/mixture and of the company/undertaking *1.1 Product identifier *Trade name: CONCENTRATE TO MAKE (5000500) *Article number: 5000500C *Registration number A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. *1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. *Application of the substance / the mixture Laboratory Chemicals *1.3 Details of the supplier of the safety data sheet *Manufacturer/Supplier: Reagecon Diagnostics Ltd. Shannon Free Zone, Shannon, Co. Clare, Ireland. Tel +353 61 472622 Fax +353 61 472642 *Further information obtainable by contacting: sds@reagecon.ie *1.4 Emergency telephone number: For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC For Ireland call +(353)-19014670 For Outside Ireland call +1 703-741-5970 / 1-800-424-9300 CCN849800 **SECTION 2: Hazards identification** *2.1 Classification of the substance or mixture *Classification according to Regulation (EC) No 1272/2008



GHS08 health hazard

Carc. 1A H350 May cause cancer.

*2.2 Label elements

*Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. *Hazard pictograms



*Signal word Danger

*Hazard-determining components of labelling: diarsenic trioxide *Hazard statements H350 May cause cancer. *Precautionary statements P201 *Obtain special instructions before use.* P202 Do not handle until all safety precautions have been read and understood. P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

(Contd. on page 2)

IE

Reagecon

Safety data sheet according to 1907/2006/EC, Article 31

Printing 19.08.2019

version number 14

Trade name: CONCENTRATE TO MAKE (5000500)

P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

*2.3 Other hazards

*Results of PBT and vPvB assessment *PBT: Not applicable.

*vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

*3.1 Chemical characterisation: Substances

*CAS No. Description

PURIFIED WATER

*Identification number(s)

*EC number: 231-791-2 *3.2 Chemical characterisation: Mixtures

***Description:** Mixture of substances listed below with nonhazardous additions.

*Dangerous components:

0 1		
CAS: 1327-53-3	diarsenic trioxide	≥0.1-<0.25%
EINECS: 215-481-	⁴ Acute Tox. 2, H300; Carc. 1A, H350; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

*SVHC

CAS: 1327-53-3 diarsenic trioxide

*Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

*4.1 Description of first aid measures

*General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

*After inhalation:

Provide fresh air, warmth and rest. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Obtain medical attention if any discomfort continues.

*After skin contact: Generally the product does not irritate the skin.

*After eye contact:

Promptly wash eyes with plenty of water for up to 15 minutes. Open eyes wide apart and rinse well to remove any contact lenses. Do not remove contact lenses by hand. Continue to rinse. Get medical attention if symptoms persist.

*After swallowing:

Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately. Rinse mouth thoroughly with water and give large amounts of water to drink. Never give anything by mouth to an unconscious person.

*4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

*4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

*5.1 Extinguishing media

*Suitable extinguishing agents:

Indications shall be given whether any extinguishing media are inappropriate for a particular situation involving the substance or mixture

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

IE

Reagecon

Safety data sheet according to 1907/2006/EC, Article 31

Printing 19.08.2019

version number 14

Revision: 19.08.2019

Trade name: CONCENTRATE TO MAKE (5000500)

(Contd. of page 2)

***5.2 Special hazards arising from the substance or mixture** No further relevant information available. ***5.3 Advice for firefighters**

*Protective equipment:

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Avoid run off to waterways and sewers

SECTION 6: Accidental release measures

*6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment as described in Section 8 below. Keep unprotected persons away.

*6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

*6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

*6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

*7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

*Information about fire - and explosion protection: Keep respiratory protective device available.

*7.2 Conditions for safe storage, including any incompatibilities

*Storage:

*Requirements to be met by storerooms and receptacles: No special requirements.

*Information about storage in one common storage facility: Not required.

*Further information about storage conditions: None.

*7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

*8.1 Control parameters

*Ingredients with limit values that require monitoring at the workplace: CAS: 1327-53-3 diarsenic trioxide		
		OEL (Ireland)
PEL (USA)	Long-term value: 0.01 mg/m³ as As; 29CFR1910.1018	
REL (USA)	Ceiling limit: 0.002 mg/m³ as As; 15min; See Pocket Guide App. A	
TLV (USA)	Long-term value: 0.01 mg/m ³	
*Additional infe	brmation: The lists valid during the making were used as basis.	(2 . 1

(Contd. on page 4)

IE



Safety data sheet according to 1907/2006/EC, Article 31

Printing 19.08.2019

version number 14

Revision: 19.08.2019

Trade name: CONCENTRATE TO MAKE (5000500)

(Contd. of page 3)

*8.2 Exposure controls

*Personal protective equipment:

*General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

*Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Where risk assessment shows air-purifying respirators are appropriate use a respirator with multi-purpose combination (US) or type ABEK (EN14387) respirator cartridges as back up to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

*Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Always ensure that gloves are inspected before use.

Selection of protective gloves must include consideration of the penetration times along with rates of diffusion and degradation. The selected glove should comply with the specifications of EU Directive 89/686/EEC and the standard EN374 derived from it.

*Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/ EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

*Penetration time of glove material

In the absence of data above, the exact break through time has to be sourced from the manufacturer of the protective gloves and has to be observed.

*Eye protection:



Tightly sealed goggles: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

(Contd. on page 5)

⁻ IE

Safety data sheet according to 1907/2006/EC, Article 31

Printing 19.08.2019

version number 14

Revision: 19.08.2019

Trade name: CONCENTRATE TO MAKE (5000500)

*Engineering Controls: No further data; see item 7.

	ical properties
*9.1 Information on basic physical and c	chemical properties
*General Information	
*Appearance:	
Form:	Liquid
Colour:	According to product specification
*Odour: *Odour threshold:	Characteristic Not determined.
"Oaour thresnola:	Not determined.
*pH-value:	Not determined.
*Change in condition	
Melting point/freezing point:	0 °C
Initial boiling point and boiling range	2: 100 °C
*Flash point:	Not applicable.
*Flammability (solid, gas):	Not applicable.
*Decomposition temperature:	Not determined.
*Auto-ignition temperature:	Product is not selfigniting.
*Explosive properties:	Product does not present an explosion hazard.
*Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
<i>*Vapour pressure at 20 °C:</i>	23 hPa
*Density at 20 °C:	1.00483 g/cm ³
*Relative density	Not determined.
*Vapour density	Not determined.
*Evaporation rate	Not determined.
*Solubility/ miscibility with	
water:	Fully miscible.
*Partition coefficient: n-octanol/water:	Not determined.
*Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
*9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

*10.1 Reactivity No further relevant information available.

*10.2 Chemical stability

*Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

*10.3 Possibility of hazardous reactions No dangerous reactions known.

*10.4 Conditions to avoid No further relevant information available.

*10.5 Incompatible materials: No further relevant information available.

*10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

IF



(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing 19.08.2019

version number 14

Revision: 19.08.2019

Trade name: CONCENTRATE TO MAKE (5000500)

(Contd. of page 5)

SECTION 11: Toxicological information

*11.1 Information on toxicological effects

*Acute toxicity Based on available data, the classification criteria are not met.

*LD/LC50 values relevant for classification:

CAS: 1327-53-3 diarsenic trioxide

Oral LD50 15.1 mg/kg (rat)

*Primary irritant effect:

*Skin corrosion/irritation Based on available data, the classification criteria are not met.

*Serious eye damage/irritation Based on available data, the classification criteria are not met.

- *Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- *CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- *Germ cell mutagenicity Based on available data, the classification criteria are not met.

*Carcinogenicity

May cause cancer.

*Reproductive toxicity Based on available data, the classification criteria are not met.

*STOT-single exposure Based on available data, the classification criteria are not met.

*STOT-repeated exposure Based on available data, the classification criteria are not met.

*Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

*12.1 Toxicity

*Aquatic toxicity: No further relevant information available.

*12.2 Persistence and degradability No further relevant information available.

*12.3 Bioaccumulative potential No further relevant information available.

*12.4 Mobility in soil No further relevant information available.

*Additional ecological information:

*General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

*12.5 Results of PBT and vPvB assessment

***PBT:** Not applicable.

*vPvB: Not applicable.

*12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

*13.1 Waste treatment methods

*Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

*European waste catalogue

HP7 Carcinogenic

*Uncleaned packaging:

*Recommendation: Disposal must be made according to official regulations.

*Recommended cleansing agents: Water, if necessary together with cleansing agents.

(Contd. on page 7)

Reagecon

Reagecon

Safety data sheet according to 1907/2006/EC, Article 31

Printing 19.08.2019

version number 14

Revision: 19.08.2019

Trade name: CONCENTRATE TO MAKE (5000500)

(Contd. of page 6)

SECTION 14: Transport informat	ion
*14.1 UN-Number *ADR, ADN, IMDG, IATA	Void
*14.2 UN proper shipping name *ADR, ADN, IMDG, IATA	Void
*14.3 Transport hazard class(es)	
*ADR, ADN, IMDG, IATA *Class	Void
*14.4 Packing group *ADR, IMDG, IATA	Void
*14.5 Environmental hazards: *Marine pollutant:	No
*14.6 Special precautions for user	Not applicable.
*14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
*Transport/Additional information:	Not dangerous according to the above specifications.
*UN "Model Regulation":	Void

SECTION 15: Regulatory information

*15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

*Directive 2012/18/EU

*Named dangerous substances - ANNEX I None of the ingredients is listed.

*LIST OF SUBS	TANCES SUBJECT TO AUTHORISATION (ANNEX XIV)	
CAS: 1327-53-3	diarsenic trioxide	Sunset date: 2015-05-21
*REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 19, 28, 72		
*Regulation (EU)	No 649/2012	

CAS: 1327-53-3 diarsenic trioxide

Annex I Part 1

*National regulations:

*Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

ClassShare in %Wasser99.7I0.1

*Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

*Other regulations, limitations and prohibitive regulations

*Substances of very high concern (SVHC) according to REACH, Article 57

CAS: 1327-53-3 diarsenic trioxide

*15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

Reagecén

Safety data sheet according to 1907/2006/EC, Article 31

Printing 19.08.2019

version number 14

Revision: 19.08.2019

Trade name: CONCENTRATE TO MAKE (5000500)

(Contd. of page 7)

	This information is based on our present knowledge. However, this shall not constitute a guarantee for any pecific product features and shall not establish a legally valid contractual relationship.
I I I I	Relevant Phrases: 1300 Fatal if swallowed. 1314 Causes severe skin burns and eye damage. 1350 May cause cancer. 1400 Very toxic to aquatic life. 1410 Very toxic to aquatic life with long lasting effects.
*L	Department issuing SDS: Health and Safety
*(Contact: sds@reagecon.ie
R In R A C L	Abbreviations and acronyms: PLD: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the international Transport of Dangerous Goods by Rail) CAO: International Civil Aviation Organisation PLACH (Registration, Evaluation, Authorisation and restriction of Chemicals) PLR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) MDG: International Maritime Code for Dangerous Goods ATA: International Air Transport Association
E	GHS: Globally Harmonised System of Classification and Labelling of Chemicals INECS: European Inventory of Existing Commercial Chemical Substances
C L	ELINCS: European List of Notified Chemical Substances EAS: Chemical Abstracts Service (division of the American Chemical Society) C50: Lethal concentration, 50 percent
P S	D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic VHC: Substances of Very High Concern PvB: very Persistent and very Bioaccumulative
A S C	lcute Tox. 2: Acute toxicity – Category 2 kin Corr. 1B: Skin corrosion/irritation – Category 1B Carc. 1A: Carcinogenicity – Category 1A
	quatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 quatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1