

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Dichloromethane
SDS-number : 000000020387
Type of product : Substance
Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.
Chemical name : dichloromethane; methylene chloride
Index-No. : 602-004-00-3
REACH Registration Number : 01-2119480404-41

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals
Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company : Honeywell Specialty Chemicals Seelze GmbH
Wunstorfer Straße 40
30926 Seelze
Germany
Honeywell International, Inc.
115 Tabor Road
Morris Plains, NJ 07950-2546
USA
Telephone : (49) 5137-999 0
Telefax : (49) 5137-999 123
For further information, please contact: : PMTEU Product Stewardship:
SafetyDataSheet@Honeywell.com

1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)
+1-303-389-1414 (Medical)
Country based Poison Control Center : see chapter 15.1

SECTION 2: Hazards identification

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Skin irritation Category 2

H315 Causes skin irritation.

Eye irritation Category 2

H319 Causes serious eye irritation.

Carcinogenicity Category 2

H351 Suspected of causing cancer.

Specific target organ toxicity - single exposure Category 3 - Central nervous system

H336 May cause drowsiness or dizziness.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms :



Signal word : Warning

Hazard statements :

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.

Precautionary statements :

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

2.3. Other hazards

Fire or intense heat may cause violent rupture of packages. Vapours may form explosive mixtures with air.

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

SECTION 3: Composition/information on ingredients

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
dichloromethane; methylene chloride	75-09-2 602-004-00-3 01-2119480404-41 200-838-9	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Carc. 2; H351 STOT SE 3; H336	>= 99 %	1*

1* - For specific concentration limits see Annexes of 1272/2008

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. If unconscious, place in recovery position and seek medical advice. Take off all contaminated clothing immediately.

Inhalation:

If breathed in, move person into fresh air. If symptoms persist, call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of water. Consult a physician.

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. Consult a physician.

Ingestion:

When swallowed, allow water to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

no data available

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

4.3. Indication of any immediate medical attention and special treatment needed

no data available

See Section 11 for more detailed information on health effects and symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Foam
Carbon dioxide (CO₂)
Water spray
Dry powder

Extinguishing media which shall not be used for safety reasons:

High volume water jet

5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of:

Gaseous hydrogen chloride (HCl).
Phosgene

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Cool containers/tanks with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Keep people away from and upwind of spill/leak.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material.
Pick for disposal in tightly closed containers

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary. Avoid formation of aerosol.

Advice on protection against fire and explosion:

Keep away from heat and sources of ignition. Normal measures for preventive fire protection.

Hygiene measures:

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container dry.

7.3. Specific end use(s)

no additional data available

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
dichloromethane; methylene chloride	EH40 WEL SKIN_DES			Can be absorbed through the skin.
dichloromethane; methylene chloride	EH40 WEL TWA	350 mg/m3 100 ppm		
dichloromethane; methylene chloride	EH40 WEL STEL	1.060 mg/m3 300 ppm		
dichloromethane; methylene chloride	EH40 WEL			Listed
dichloromethane; methylene chloride	EU ELV STEL	706 mg/m3 200 ppm		Indicative
dichloromethane; methylene chloride	EU ELV SKIN_DES			Can be absorbed through the skin.
dichloromethane; methylene chloride	EU ELV TWA	353 mg/m3 100 ppm		Indicative

SKIN_DES - Skin designation:

TWA - Time weighted average

STEL - Short term exposure limit

DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
dichloromethane; methylene chloride	Workers / Long-term systemic effects		353 mg/m3	Inhalation	
dichloromethane; methylene chloride	Workers / Acute systemic effects		706 mg/m3	Inhalation	
dichloromethane; methylene chloride	Workers / Long-term systemic effects		12mg/kg bw/d	Skin contact	
dichloromethane; methylene chloride	Consumers / Long-term systemic		88,3 mg/m3	Inhalation	

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

	effects				
dichloromethane; methylene chloride	Consumers / Acute systemic effects		353 mg/m3	Inhalation	
dichloromethane; methylene chloride	Consumers / Long-term systemic effects		5,82mg/kg bw/d	Skin contact	
dichloromethane; methylene chloride	Consumers / Long-term systemic effects		0,06mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
dichloromethane; methylene chloride	Fresh water: 0,31 mg/l	Assessment factor: 20
dichloromethane; methylene chloride	Marine water: 0,031 mg/l	Assessment factor: 200
dichloromethane; methylene chloride	Sewage treatment plant: 26 mg/l	Assessment factor: 100
dichloromethane; methylene chloride	Fresh water sediment: 2,57 mg/kg dw	
dichloromethane; methylene chloride	Marine sediment: 0,26 mg/kg dw	
dichloromethane; methylene chloride	Soil: 0,33 mg/kg dw	

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Avoid exposure - obtain special instructions before use.

Personal protective equipment

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.

Hand protection:

Glove material: Fluorinated rubber

Break through time: > 120 min

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

Glove thickness: 0,7 mm

Vitoject® 890

Gloves must be inspected prior to use.

Replace when worn.

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g. temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types .

Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:

Safety goggles

Skin and body protection:

Impervious clothing

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	:	liquid
Colour	:	colourless
Odour	:	sweet
molecular weight	:	84,93 g/mol
Melting point/range	:	-97 °C
Boiling point/boiling range	:	39 - 41 °C at 1.013 hPa
Flash point	:	Not applicable
Ignition temperature	:	605 °C
Lower explosion limit	:	13 %(V)

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

Upper explosion limit	:	22 % (V)
Vapour pressure	:	453 hPa at 20 °C
Density	:	1,32 - 1,33 g/cm ³ at 20 °C
Viscosity, dynamic	:	0,44 mPa.s at 20 °C
Viscosity, kinematic	:	no data available
pH	:	Not applicable
Water solubility	:	20,0 g/l at 20 °C
Solubility in other solvents	:	soluble
Partition coefficient: n-octanol/water	:	log Pow 1,25
Relative vapour density	:	no data available
Evaporation rate	:	no data available

9.2 Other Information

no additional data available

SECTION 10: Stability and reactivity

10.1. Reactivity

no data available

10.2. Chemical stability

>120 °C
Decomposition temperature

10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air.

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

10.4. Conditions to avoid

Heat, flames and sparks.
Exposure to sunlight.

10.5. Incompatible materials

Alkali metals
Amines
Bases
Alkaline earth metals
Powdered metals
Strong oxidizing agents
Strong acids

10.6. Hazardous decomposition products

Hydrogen chloride gas
Phosgene

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

LD50
Species: Rat
Value: > 2.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity:

LD50
Species: Rat
Value: > 2.000 mg/kg
Method: OECD Test Guideline 402

Acute inhalation toxicity:

LC50
Species: Mouse
Value: 86 mg/l

Skin irritation:

Species: Rabbit
Result: irritating
Method: OECD Test Guideline 404

Eye irritation:

Species: rabbit eye
Result: irritating

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

Respiratory or skin sensitisation:

Species: Mouse
Result: non-sensitizing
Method: OECD 429

Carcinogenicity:

Note: Classification based on Annex VI of regulation 1272/2008/EC.

Germ cell mutagenicity:

Note: Not classified due to data which are conclusive although insufficient for classification.

Aspiration hazard:

no data available

Other information:

Solvent removes skin oil from the skin.
Solvent vapours have a narcotic effect if inhaled in high concentrations.
The product has a neurotoxic effect in high concentrations.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:

LC50
Species: Pimephales promelas (fathead minnow)
Value: 193 mg/l
Exposure time: 96 h

LC50

Species: Fish
Value: 97 mg/l
Exposure time: 48 h

NOEC

Species: Pimephales promelas (fathead minnow)
Value: 142 mg/l
Exposure time: 28 d
mortality

Toxicity to aquatic plants:

no data available

Toxicity to Microorganisms:

LC0
Species: Pseudomonas putida

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

Value: 500 mg/l

EC50

Species: activated sludge

Value: 2.590 mg/l

Exposure time: 40 min

Method: OECD 209

Toxicity to aquatic invertebrates:

LC50

Species: Daphnia (water flea)

Value: 220 mg/l

Exposure time: 48 h

LC50

Species: Daphnia magna (Water flea)

Value: 27 mg/l

Exposure time: 48 h

12.2. Persistence and degradability

Biodegradability:

Biodegradation: 68 %

Exposure time: 28 d

Result: Readily biodegradable

Method: OECD 301 D

12.3. Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Bioaccumulation is unlikely.

The product should not be allowed to enter drains, water courses or the soil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

ADR/RID

UN Number : 1593
Description of the goods : DICHLOROMETHANE
Class : 6.1
Packaging group : III
Classification Code : T1
Hazard Identification Number : 60
ADR/RID-Labels : 6.1
Environmentally hazardous : no

IATA

UN Number : 1593
Description of the goods : Dichloromethane
Class : 6.1
Packaging group : III
Hazard Labels : 6.1

IMDG

UN Number : 1593
Description of the goods : DICHLOROMETHANE
Class : 6.1
Packaging group : III
Hazard Labels : 6.1
EmS Number : F-A, S-A
Marine pollutant : no

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
-------	-------	---------

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

Regulation (EC) No. 1907/2008, Annex XVII		This product contains an ingredient according to Annex XVII of the REACH Regulation1907/2006/EC.
---	--	--

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	no data available
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	no data available
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	+39 0649906140
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

Country	Phone Number
Liechtenstein	no data available
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	no data available
Netherlands	030-2748888
Norway	22591300
Poland	no data available
Portugal	808250143
Romania	no data available
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	no data available
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	no data available

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

dichloromethane; methylene chloride	:	H315 H319 H336 H351	Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing cancer.
-------------------------------------	---	------------------------------	---

Further information

All directives and regulations refer to amended versions.

Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community

Dichloromethane

66204-100ML

Version 2.1

Revision Date 07.09.2018

Supersedes 1

CAS Chemical Abstracts Service

DNEL Derived no effect level

PNEC Predicted no effect level

vPvB Very persistent and very biaccumulative substance

PBT Persistent, bioaccumulative and toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.