

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Dimethyl sulfoxide
SDS-number : 000000020242
Type of product : Substance
Remarks : Document according to Art. 32 of Regulation (EC) 1907/2006.
In accordance to the Article 14 (1) of the REACH Regulation
(EC) No 1907/2006, exposure estimation and risk
characterisation is not required.

Chemical name : Dimethyl sulfoxide
CAS-No. : 67-68-5
REACH Registration Number : 01-2119431362-50

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals
Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company : Honeywell Specialty Chemicals Seelze GmbH
Wunstorfer Straße 40
30926 Seelze
Germany
Telephone : (49) 5137-999 0
Telefax : (49) 5137-999 123
For further information, please contact: : PMTEU Product Stewardship:
SafetyDataSheet@Honeywell.com

Honeywell International, Inc.
115 Tabor Road
Morris Plains, NJ 07950-2546
USA

1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)
+1-303-389-1414 (Medical)
Country based Poison : see chapter 15.1

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Control Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

2.2. Label elements

REGULATION (EC) No 1272/2008

Precautionary statements : P280

Wear protective gloves/ eye protection/ face protection.

Not a hazardous substance or mixture.

2.3. Other hazards

Can be absorbed through skin. Results of PBT and vPvB assessment, see chapter 12.5.

SECTION 3: Composition/information on ingredients

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Dimethyl sulfoxide	67-68-5 01-2119431362-50 200-664-3		100 %	N.C.*

N.C.* - Non-hazardous substance - for information only

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off immediately all contaminated clothing.

Inhalation:

If breathed in, move person into fresh air. If symptoms persist, call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of soap and water. If symptoms persist, call a physician.

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. If eye irritation persists, consult a physician.

Ingestion:

Rinse mouth with water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2. Most important symptoms and effects, both acute and delayed

no data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

:

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray
Foam
Carbon dioxide (CO₂)
Dry powder

Extinguishing media which shall not be used for safety reasons:

High volume water jet

5.2. Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as:
carbon oxides (CO, CO₂).
Sulphur oxides

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

6.2. Environmental precautions

Do not let product enter drains.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material.
Pick for disposal in tightly closed containers

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Keep container tightly closed. Exhaust ventilation at the object is necessary.

Advice on protection against fire and explosion:

The product is flammable but not readily ignited. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Keep away from heat and sources of ignition.

Hygiene measures:

Take off all contaminated clothing immediately. Wash hands before breaks and at the end of workday. Recommended preventive skin protection

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep under nitrogen.

Advice on common storage:

Do not store together with: Strong oxidizing agents Strong acids

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
Dimethyl sulfoxide	Workers / Long-term systemic effects		484 mg/m3	Inhalation	
Dimethyl sulfoxide	Workers / Long-term local effects		265 mg/m3	Inhalation	
Dimethyl sulfoxide	Workers / Long-term systemic effects		200mg/kg bw/d	Skin contact	

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Dimethyl sulfoxide	Consumers / Long-term systemic effects		120 mg/m3	Inhalation	
Dimethyl sulfoxide	Consumers / Long-term local effects		47 mg/m3	Inhalation	
Dimethyl sulfoxide	Consumers / Long-term systemic effects		100mg/kg bw/d	Skin contact	
Dimethyl sulfoxide	Consumers / Long-term systemic effects		60mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Dimethyl sulfoxide	Fresh water: 17 mg/l	Assessment factor: 1000
Dimethyl sulfoxide	Marine water: 1,7 mg/l	Assessment factor: 10000
Dimethyl sulfoxide	Sewage treatment plant: 11 mg/l	
Dimethyl sulfoxide	Fresh water sediment: 13,4 mg/kg dw	
Dimethyl sulfoxide	Soil: 3,02 mg/kg dw	

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Do not breathe vapours/dust.

Personal protective equipment

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.

Hand protection:

Glove material: Natural Latex

Break through time: > 480 min

Glove thickness: 1 mm

Combi-Latex 395

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Gloves must be inspected prior to use.

Replace when worn.

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types .

Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:

Safety glasses with side-shields

Skin and body protection:

Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	:	liquid
Colour	:	colourless
Odour	:	characteristic
molecular weight	:	78,13 g/mol
Freezing point	:	18,5 °C
Boiling point/boiling range	:	189 °C
Flash point	:	87 °C Method: closed cup
Ignition temperature	:	ca. 300 °C
Auto-ignition temperature	:	ca. 300 °C
Lower explosion limit	:	2,6 % (V)

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Upper explosion limit	:	28,5 % (V)
Vapour pressure	:	0,56 hPa at 20 °C
Vapour pressure	:	4 hPa at 50 °C
Vapour pressure	:	20 hPa at 80 °C
Vapour pressure	:	49 hPa at 100 °C
Density	:	1,104 g/cm ³ at 20 °C
Viscosity, dynamic	:	2,14 mPa.s at 20 °C
Viscosity, kinematic	:	no data available
pH	:	Not applicable
Water solubility	:	completely soluble
Solubility in other solvents	:	Soluble in most organic solvents
Partition coefficient: n-octanol/water	:	log Pow -1,35
Relative vapour density	:	2,7
Evaporation rate	:	no data available

9.2 Other Information

The product is hygroscopic.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

> 190 °C

Slow decomposition possible.

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4. Conditions to avoid

Protect from frost, heat and sunlight.

Protect from moisture.

10.5. Incompatible materials

Strong acids and oxidizing agents

Halogenated compounds

10.6. Hazardous decomposition products

Sulphur oxides

Carbon oxides

Formaldehyde

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

Species: Rat

Value: 28.500 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity:

LD50

Species: Rat

Value: 40.000 mg/kg

Method: No information available.

Acute inhalation toxicity:

LC0

Species: Rat

Value: > 5,33 mg/l

Exposure time: 4 h

Method: OECD Test Guideline 403

Skin irritation:

Species: Rabbit

Result: Mild skin irritation

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Method: OECD Test Guideline 404

Eye irritation:

Species: Rabbit

Result: Mild eye irritation

Method: OECD Test Guideline 405

Respiratory or skin sensitisation:

Species: Guinea pig

Result: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

Germ cell mutagenicity:

Test Method: reverse mutation assay

Cell type: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Result: negative

Method: OECD Test Guideline 471

Aspiration hazard:

no data available

Other information:

Experience in use: irritates eyes, skin and respiratory tract

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:

LC50

Species: Danio rerio (zebra fish)

Value: > 25.000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to aquatic plants:

EC50

Species: Pseudokirchneriella subcapitata (green algae)

Value: 17.000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to Microorganisms:

EC50

Species: activated sludge

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Value: 10 - 100 mg/l
Exposure time: 30 min
Method: ISO 8192

Toxicity to aquatic invertebrates:

EC50
Species: Daphnia magna (Water flea)
Value: 24.600 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

12.2. Persistence and degradability

Biodegradability:
Biodegradation: 31 %
Exposure time: 28 d
Result: Not readily biodegradable.
Method: OECD 301 D

12.3. Bioaccumulative potential

no data available

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:
Dispose according to legal requirements.

Packaging:
Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:
Provisions relating to waste:
EC Directive 2006/12/EC; 2008/98/EEC

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

ADR/RID

Not dangerous goods

IATA

Not dangerous goods

IMDG

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable

Basis	Value	Remarks
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of ≥ 0.1 % (w/w).

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+359)29154233
Croatia	(+385)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

Poland	+48 42 25 38 400
Portugal	808250143
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation); +46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)

Dimethyl sulfoxide

66206-2.5L

Version 1.4

Revision Date 11.05.2020

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Further information

All directives and regulations refer to amended versions.

Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community

CAS Chemical Abstracts Service

DNEL Derived no effect level

PNEC Predicted no effect level

vPvB Very persistent and very biaccumulative substance

PBT Persistent, bioaccumulative and toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.
