



11.0.0

Version:

Trade name : borer 21 LAB CLF **Revision :** 19.05.2017

Print date : 17.10.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

borer 21 LAB CLF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Reserved for industrial and professional use.

Relevant identified uses

Detergent

1.3 Details of the supplier of the safety data sheet

Borer Chemie Deutschland GmbH **Street:** Wallbrunnstrasse 24

Postal code/city: 79539 Lörrach

Country: Deutschland

Telephone: +49 6022 265570 **Telefax:** +49 6022 2655721 **Information contact:**

Manufacturer Borer Chemie AG

Street: Gewerbestrasse 13

Postal code/city: 4528 Zuchwil

Country: Schweiz

Telephone: +41 32 686 56 00 **Telefax:** +41 32 686 56 90

Information contact: product.safety@borer.ch

1.4 Emergency telephone number

National Poison Inform. Centre, Medical Toxicology Unit, +44 (171) 635 91 91

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1; H318 - Serious eye damage/eye irritation: Category 1; Causes serious eye damage. Skin Corr. 1B; H314 - Skin corrosion/irritation: Category 1B; Causes severe skin burns and eye damage.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Corrosion (GHS05)

Signal word

Danger

Hazard components for labelling

DIPOTASSIUM TRIOXOSILICATE; CAS No.: 1312-76-1

Hazard statements

H314 Causes severe skin burns and eye damage.

Page: 1/8

(EN / GB)



according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : borer 21 LAB CLF

Revision: 19.05.2017 **Version:** 11.0.0

Print date : 17.10.2021

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER.

P405 Store locked up.

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous ingredients

TETRAPOTASSIUM PYROPHOSPHATE; REACH registration No.: 01-2119489369-18-XXXX; EC No.: 230-785-7; CAS No.:

7320-34-5

Weight fraction : \geq 15 - < 30 % Classification 1272/2008 [CLP] : Eye Irrit. 2 ; H319

TRIPOTASSIUM ORTHOPHOSPHATE; REACH registration No.: 01-2119971078-30-XXXX; EC No.: 231-907-1; CAS No.:

7778-53-2

Weight fraction : $\geq 5 - < 15 \%$

Classification 1272/2008 [CLP] : Skin Irrit. 2 ; H315 Eye Irrit. 2 ; H319 STOT SE 3 ; H335

DIPOTASSIUM TRIOXOSILICATE; REACH registration No.: 01-2119456888-17-XXXX; EC No.: 215-199-1; CAS No.: 1312-

76-1

Weight fraction : $\geq 5 - < 15 \%$

Classification 1272/2008 [CLP]: Skin Corr. 1B; H314 Eye Dam. 1; H318

Additional information

Full text of H- and EUH-phrases: see section 16.

Regulation (EC) No. 648/2004: Labelling for contents

phosphates 15 - < 30 % phosphonates < 5 %

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

Following inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Flush away with water and rinse. In case of skin irritation, consult a physician.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth immediately and drink plenty of water. Call a physician immediately.

Self-protection of the first aider

No special measures are necessary.

4.2 Most important symptoms and effects, both acute and delayed

Irritating to eyes, respiratory system and skin.

4.3 Indication of any immediate medical attention and special treatment needed

None

Page: 2/8

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name: borer 21 LAB CLF

 Revision:
 19.05.2017
 Version:
 11.0.0

 Print date:
 17.10.2021

SECTION 5: Firefighting measures

5.1 Extinguishing media

The product itself does not burn.

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water spray jet, foam, extinguishing powder. Carbon dioxide (CO2)

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Fire generates toxic gases.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus.

5.4 Additional information

None

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Take the precautions customary when handling chemicals.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4 Reference to other sections

See Chapter 7, 8 & 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. See section 8 of the safety data sheet (general health and safety measures)

Protective measures

Measures to prevent fire

No anti-explosion measures necessary.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Do not store together with Acids, oxidizing agents, **Storage temperature :** Optimal storage temperature 20 °C . For details, see product label.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

Page: 3 / 8





borer 21 LAB CLF

Revision: 19.05.2017 Version: 11.0.0

Print date: 17.10.2021

8.1 Control parameters

DNEL/DMEL and PNEC values

DNEL/DMEL

DNEL worker (systemic) (TETRAPOTASSIUM PYROPHOSPHATE ; CAS No.: 7320-34-5) Limit value type:

Inhalation Exposure route:

Exposure frequency: Long-term (repeated)

44.08 mg/m³ Limit value:

DNEL worker (systemic) (TRIPOTASSIUM ORTHOPHOSPHATE; CAS No.: 7778-53-2) Limit value type:

Inhalation Exposure route:

Long-term (repeated) Exposure frequency:

Limit value: 8.17 mg/m³

Limit value type: DNEL worker (systemic) (DIPOTASSIUM TRIOXOSILICATE; CAS No.: 1312-76-1)

Exposure route: Inhalation

Long-term (repeated) Exposure frequency:

Limit value: 5.61 mg/m³

Limit value type: DNEL worker (systemic) (DIPOTASSIUM TRIOXOSILICATE ; CAS No. : 1312-76-1)

Exposure route: Dermal

Exposure frequency: Long-term (repeated)

1.49 mg/kg Limit value:

8.2 Exposure controls

Control any potential exposure using measures such as contained or enclosed systems, properly designed and maintained facilities and a good standard of general ventilation. Drain down systems and clear transfer lines prior to breaking containment. Drain down and flush equipment where possible prior to maintenance. Where there is potential for exposure: Ensure relevant staff are informed of the nature of exposure and aware of basic actions to minimise exposures; Ensure suitable personal protective equipment is available; Clear up spills and dispose of waste in accordance with regulatory requirements; monitor effectiveness of control measures; consider the need for health surveillance; identify and implement corrective actions.

Personal protection equipment

Eye/face protection

Use tightly fitting safety glasses. goggles DIN EN 166

Skin protection

Hand protection

Tested protective gloves must be worn DIN EN 374 In splash contact: Layer thickness: 0.4 mm Breakthrough time: > 30 Min. By long-term hand contact Layer thickness: 0.7 mm Breakthrough time: > 480 Min. Glove material: butyl rubber nitrile rubber The protective gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resultant standard EN374.

Body protection

Wear alkali-resistant protective clothing.

Respiratory protection

No special measures are necessary.

Suitable respiratory protection apparatus

No particular measures required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: liquid

Colour: clear, colourless Odour: characteristic Safety relevant basis data

Melting point/melting range: not relevant Initial boiling point and boiling °C (1013 hPa) 100 range:

Page: 4/8





°C

Trade name: borer 21 LAB CLF

Revision : 19.05.2017 **Version :** 11.0.0 **Print date :** 17.10.2021

Decomposition temperature : > 230
Flash point : not applicable
Ignition temperature : not applicable

 Ignition temperature :
 not applicable

 Lower explosion limit :
 not applicable

 Upper explosion limit :
 not applicable

approx. Vapour pressure: (25°C) hPa 32 (20 °C) Density: 1.4 g/cm³ Solvent separation test : (20°C) not determined Water solubility: (20°C) 100 g/l pH value (solvent = drinking approx. (20 °C / 10 g/l) 10

water): (25 C / 16 g/r) 10 log P O/W: not determined

Flow time: (20 °C) not determined DIN-cup 4 mm

Viscosity: (20 °C) not determined Evaporation rate: not relevant
Vapourisation rate: not relevant

Flammable solids: Not applicable.
Flammable gases: Not applicable.
Oxidising liquids: Not applicable.
Explosive properties: Not applicable.

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions(See section 7).

10.2 Chemical stability

Thermal decomposition above 230 °C.

10.3 Possibility of hazardous reactions

Exothermic reaction with: Acids, oxidizing agents,

10.4 Conditions to avoid

None, if handled according to order.

10.5 Incompatible materials

Acids, oxidizing agents,

10.6 Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute effects

Acute oral toxicity

Parameter: ATEmix calculated

Exposure route: Oral
Effective dose: > 2000 mg/kg

Irritant and corrosive effects

Causes severe skin burns and eye damage.

Primary irritation to the skin

Parameter: Primary irritation to the skin (DIPOTASSIUM TRIOXOSILICATE ; CAS No. : 1312-76-1)

Irritation to eyes

Parameter: Irritation to eyes (DIPOTASSIUM TRIOXOSILICATE; CAS No.: 1312-76-1)

Page: 5 / 8

(EN / GB)

according to Regulation (EC) No. 1907/2006 (REACH)



Trade name : borer 21 LAB CLF

 Revision:
 19.05.2017
 Version:
 11.0.0

 Print date:
 17.10.2021

Sensitisation

No information available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

No information available.

STOT-single exposure

No information available.

STOT-repeated exposure

No information available.

Aspiration hazard

No information available.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Acute (short-term) algae toxicity

Parameter: EC50 (TETRAPOTASSIUM PYROPHOSPHATE ; CAS No. : 7320-34-5)

Species: Daphnia
Effective dose: > 100 mg/l
Exposure time: 48 h

Parameter: EC50 (DIPOTASSIUM TRIOXOSILICATE ; CAS No. : 1312-76-1)

Species: Daphnia
Effective dose: > 2000 mg/l
Exposure time: 48 h

Effects in sewage plants

Parameter: Chemical oxygen demand (COD)

Effective dose: 9.05 g/kg

12.2 Persistence and degradability

Biodegradation

Parameter: Biodegradability according to OECD

Effective dose: > 90 %

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Other adverse effects

No information available.

12.7 Additional ecotoxicological information

None

SECTION 13: Disposal considerations


13.1 Waste treatment methods

In accordance with local official regulations.

SECTION 14: Transport information

14.1 UN number

Page: 6 / 8



according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : borer 21 LAB CLF

Revision: 19.05.2017 **Version:** 11.0.0

Print date : 17.10.2021

UN 3266

14.2 UN proper shipping name

Land transport (ADR/RID)

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DIPOTASSIUM TRIOXOSILICATE)

Sea transport (IMDG)

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DIPOTASSIUM TRIOXOSILICATE)

Air transport (ICAO-TI / IATA-DGR)

CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DIPOTASSIUM TRIOXOSILICATE)

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es): 8
Classification code: C5
Hazard identification number (Kemler
No.): 80
Tunnel restriction code: E
Special provisions: LQ 1 | E | E |
Hazard label(s): 8

Sea transport (IMDG)

Class(es): 8 **EmS-No.:** F-A / S-B

Special provisions: LQ 1 | E 2 · Segregation Group 18 - Alkalis

Hazard label(s): 8

Air transport (ICAO-TI / IATA-DGR)
Class(es): 8
Special provisions: E 2
Hazard label(s): 8

14.4 Packing group

Η

14.5 Environmental hazards

Land transport (ADR/RID): No Sea transport (IMDG): No

Air transport (ICAO-TI / IATA-DGR): No

14.6 Special precautions for user

None

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

None

15.2 Chemical safety assessment

No information available.

SECTION 16: Other information

The user is responsible for the observance of all required statutory provisions.

16.1 Indication of changes

02. Labelling according to Regulation (EC) No. 1272/2008 [CLP] \cdot 14. UN proper shipping name - Land transport (ADR/RID) \cdot 14. UN proper shipping name - Air transport (ICAO-TI / IATA-DGR)

16.2 Abbreviations and acronyms

None

Page: 7 / 8





11.0.0

Version:

Trade name: borer 21 LAB CLF **Revision:** 19.05.2017

Print date: 17.10.2021

16.3 Key literature references and sources for data

None

^{16.4} Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

16.6 Training advice

None

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 8 / 8