

Version
Molecular weight
Quality Test / Release Date
Molecular Formula
CAS No
Linear Formula
Flash Point (°C)

02 200.24 05/24/2022 C13 H12 O2 13826-35-2 C6H5OC6H4CH2OH

## Certificate of Analysis

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

| Catalog Number               | 18377                       | Quality Test / Release Date | 05/24/2022 |
|------------------------------|-----------------------------|-----------------------------|------------|
| Lot Number                   | A0385092                    | Suggested retest date       | 05/24/2027 |
| Description                  | 3-Phenoxybenzyl alcohol,98% |                             |            |
|                              |                             |                             |            |
| Country of Origin            | INDIA                       |                             |            |
| <b>Declaration of Origin</b> | synthetic                   |                             |            |

| BSE/TSE  |  |
|----------|--|
| Chemical |  |

| Result name        | Specifications                  | Test Value            |
|--------------------|---------------------------------|-----------------------|
| Appearance (Color) | Clear colorless to light yellow | Clear light yellow    |
| Appearance (Form)  | Liquid                          | Liquid                |
| Infrared spectrum  | Authentic                       | Authentic             |
| GC                 | >=97.5 %                        | 98.8 %                |
| Refractive index   | 1.5910 to 1.5930 (20°C, 589 nm) | 1.5921 (20°C, 589 nm) |

Issued: 05-24-2022

C. Wygaerts, QA Manager

Acros Organics BV

ENA23, zone1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax+32 14/59.34.34 Internet: https://www.thermofisher.com

1 Reagent Lane, Fair Lawn, NJ 07410, USA Fax 201-796-1329