

02 157.21 C8 H15 N O2 15862-72-3

46

Certificate of Analysis

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Catalog Number	18958	Quality Test / Release Date	11/23/2022
Lot Number	A0390789	Suggested retest date	11/23/2027
Description	Ethyl pipecolinate,98+%		
Country of Origin	UNITED KINGDOM		
Declaration of Origin	synthetic		
	·		

BSE/TSE Chemical

Result name	Specifications	Test Value
Appearance (Color)	Clear colorless to light yellow	Clear colorless
Appearance (Form)	Liquid	Liquid
Infrared spectrum	Conforms	Conforms
Refractive index	1.4545 to 1.4575 (20°C, 589 nm)	1.4563 (20°C, 589 nm)
GC	>=98.0 %	98.1 %

C. Wygaerts, QA Manager

Issued: 11-23-2022

Acros Organics BV ENA23, zone1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax+32 14/59.34.34 Internet: https://www.thermofisher.com 1 Reagent Lane, Fair Lawn, NJ 07410, USA Fax 201-796-1329