

Version
Molecular weight
Quality Test / Release Date
Molecular Formula
CAS No
Linear Formula
Flash Point (°C)

00 515.33 04/12/2022 C22 H23 CI N2 O8 . H CI 64-72-2

Issued: 04-13-2022

Certificate of Analysis

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Catalog Number	26824	Quality Test / Release Date	04/12/2022
Lot Number	A0441048	Suggested retest date	04/12/2025
Description	Chlortetracycline hydrochloride,can be used as secondary sta ndard		
Country of Origin	BELGIUM		
Declaration of Origin	other		

BSE/TSE	
Chemical	

Result name	Specifications	Test Value
Appearance (Color)	Yellow	Yellow
Appearance (Form)	Crystalline powder	Crystalline powder
Infrared spectrum	Conforms	Conforms
Purity	>=80 % (as is, calculated)	92.6 % (as is, calculated)



C. Wygaerts, QA Manager

Acros Organics

ENA23, zone1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax+32 14/59.34.34 Internet: https://www.thermofisher.com 1 Reagent Lane, Fair Lawn, NJ 07410, USA Fax 201-796-1329