thermo scientific

Certificate of Analysis

Version Molecular weight Quality Test / Release Date Molecular Formula CAS No Linear Formula Flash Point (°C) 00 173.57 02/01/2022 C2 H6 Cl2 Ge 1529-48-2 (CH3)2GeCl2 32

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Catalog Number	31650	Quality Test / Release Date	02/01/2022
Lot Number	A0438532	Suggested retest date	02/01/2027
Description	Dichlorodimethylgermane,95+%		
Country of Origin	RUSSIAN FEDERATION		
Declaration of Origin	synthetic		
BSE/TSE			

Chemical		
Result name	Specifications	Test Value
Appearance (Color)	Colorless to light yellow	Colorless
Appearance (Form)	Liquid	Liquid
Refractive index	1.4590 to 1.4620 (20°C, 589 nm)	1.4602 (20°C, 589 nm)
Assay	>=95.0 %	99.5 %



C. Wygaerts, QA Manager

Issued: 02-02-2022

Acros Organics

ENA23, zone1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax+32 14/59.34.34 Internet: https://www.thermofisher.com 1 Reagent Lane, Fair Lawn, NJ 07410, USA Fax 201-796-1329