

Version Molecular weight Quality Test / Release Date Molecular Formula CAS No Linear Formula Flash Point (°C) 02 85.15 08/02/2022 C5 H11 N 2155-94-4 CH2CHCH2N(CH3)2 8

Certificate of Analysis

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Catalog Number	40798	Quality Test / Release Date	08/02/2022
Lot Number	A0410882	Suggested retest date	08/02/2025
Description	N,N-Dimethylallylamine,98%		
Country of Origin	INDIA		
Declaration of Origin	synthetic		

BSE/TSE Chemical

Result name	Specifications	Test Value
Appearance (Color)	Clear colorless to light yellow	Clear light yellow
Appearance (Form)	Liquid	Liquid
Infrared spectrum	Conforms	Conforms
GC	>=97.5 %	98.8 %
Refractive index	1.4000 to 1.4020 (20°C, 589 nm)	1.4016 (20°C, 589 nm)

C. Wygaerts, QA Manager

Issued: 08-02-2022

Acros Organics BV ENA23, zone1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax+32 14/59.34.34 Internet: https://www.thermofisher.com 1 Reagent Lane, Fair Lawn, NJ 07410, USA Fax 201-796-1329