## thermo scientific

## Certificate of Analysis

Version Molecular weight Quality Test / Release Date Molecular Formula CAS No Linear Formula Flash Point (°C) 00 362.42 01/14/2022 C8 H12 N2 . 0.5 C2 H2 O4 62778-12-5

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Catalog Number	40849	Quality Test / Release Date	01/14/2022
Lot Number	A0437875	Suggested retest date	01/14/2027
Description	N,N-Dimethyl-p-phenylenediamine oxalate,99%		
Country of Origin	UKRAINE		
Declaration of Origin	synthetic		

## BSE/TSE Chemical

Result name	Specifications	Test Value
Appearance (Color)	Beige to grey to brown	Off white
Appearance (Form)	Powder and/or chunks	Powder
Infrared spectrum	Conforms	Conforms
Titration with NaOH	>=98.5 %	100.8 %



C. Wygaerts, QA Manager

Issued: 01-17-2022

Acros Organics

ENA23, zone1, nr 1350, Janssen Pharmaceuticalaan 3a, B-2440 Geel, Belgium Tel +32 14/57.52.11 - Fax+32 14/59.34.34 Internet: https://www.thermofisher.com 1 Reagent Lane, Fair Lawn, NJ 07410, USA Fax 201-796-1329