

Certificate of analysis

Platinum gauze, 100 mesh woven from 0.0762mm (0.003in) dia wire,
99.9% (metals basis)

Stock Number: 10282
Lot Number: D21W007

Analysis


Pt	99.97 %	Ag	33	Mg	1	Mo	ND	Ca	23	P	ND
Pd	30	Cd	1	Pb	3	Cu	43	Zr	13	Re	ND
Rh	50	As	ND	Sn	15	Zn	3	Sm	ND	S	ND
Ir	ND	Te	ND	Cr	ND	Ti	5	W	ND	Ta	ND
Ru	ND	B	ND	Si	ND	Co	ND	Ga	ND		
Os	ND	Sb	ND	Fe	81	Ni	ND	In	ND		
Au	18	Mn	ND	Bi	ND	Al	ND	Ba	ND		

Detection limits for elements listed above:

Pt	Matrix	Ag	1	Mg	1	Mo	1	Ca	3	P	50
Pd	3	Cd	1	Pb	3	Cu	1	Zr	1	Re	100
Rh	10	As	1	Sn	3	Zn	1	Sm	20	S	50
Ir	7	Te	2	Cr	6	Ti	1	W	20	Ta	60
Ru	6	B	9	Si	8	Co	6	Ga	100		
Os	1	Sb	1	Fe	1	Ni	1	In	150		
Au	4	Mn	1	Bi	5	Al	6	Ba	50		

Values given in ppm unless otherwise noted
Analysis method: Emission spectroscopy (ICP or DC arc)
ND: Not detected

Certified by:



Quality Control

This document has been electronically generated and does not require a signature.