

Certificate of analysis

Platinum Iridium foil, 0.025mm (0.001in) thick, 99.9% (metals basis)

Stock Number: 41802

Lot Number: I24T008

Analysis

Pt	90.07 %	Ag	ND	Mg	ND	Mo	ND	Ca	ND	P	ND
Pd	ND	Cd	ND	Pb	ND	Cu	25	Zr	ND	Re	ND
Rh	ND	As	11	Sn	ND	Zn	6	Sm	ND	S	ND
Ir	9.91 %	Te	3	Cr	5	Ti	ND	W	8	Ta	ND
Ru	ND	B	65	Si	32	Co	ND	Ga	ND		
Os	ND	Sb	3	Fe	64	Ni	ND	In	ND		
Au	ND	Mn	ND	Bi	ND	Al	ND	Ba	ND		

Detection limits for the elements listed above:

Pt	Matrix	Ag	1	Mg	1	Mo	1	Ca	1	P	50
Pd	10	Cd	5	Pb	1	Cu	5	Zr	5	Re	100
Rh	15	As	5	Sn	1	Zn	1	Sm	5	S	50
Ir	Matrix	Te	1	Cr	1	Ti	1	W	5	Ta	150
Ru	15	B	5	Si	5	Co	5	Ga	100		
Os	1	Sb	1	Fe	5	Ni	10	In	150		
Au	5	Mn	1	Bi	5	Al	5	Ba	50		

Values given in ppm unless otherwise noted

Method of analysis: Emission spectroscopy (ICP or DC arc)

ND: Not detected

Certified by:



Quality Control

This document has been electronically generated and does not require a signature.