

Certificate of analysis

Platinum gauze, 45 mesh woven from 0.198mm (0.0078in) dia wire,
99.9% (metals basis)

Stock Number: 41814

Lot Number: B17X014

Analysis

Pt	99.97 %	Ag	6	Mg	ND	Mo	1	Ca	ND	P	ND
Pd	64	Cd	1	Pb	5	Cu	16	Zr	11	Re	ND
Rh	72	As	ND	Sn	13	Zn	3	Sm	ND	S	ND
Ir	70	Te	ND	Cr	ND	Ti	3	W	ND	Ta	ND
Ru	ND	B	ND	Si	14	Co	ND	Ga	ND		
Os	ND	Sb	ND	Fe	24	Ni	1	In	ND		
Au	ND	Mn	15	Bi	ND	Al	ND	Ba	ND		

Detection limits for elements listed above:


Pt	Matrix	Ag	1	Mg	1	Mo	1	Ca	3	P	50
Pd	3	Cd	1	Pb	3	Cu	1	Zr	1	Re	100
Rh	10	As	1	Sn	3	Zn	1	Sm	20	S	50
Ir	7	Te	2	Cr	6	Ti	1	W	20	Ta	60
Ru	6	B	9	Si	8	Co	6	Ga	100		
Os	1	Sb	1	Fe	1	Ni	1	In	150		
Au	4	Mn	1	Bi	5	Al	6	Ba	50		

Values given in ppm unless otherwise noted

ND: Not detected

Analysis method: Emission spectroscopy (ICP or DC arc)

Certified by:



Quality Control

This document has been electronically generated and does not require a signature.