

Certificate of analysis

**Titanium sputtering target, 50.8mm (2.0in) dia x 6.35mm (0.250in) thick,
99.995 % (metals basis)**

Stock Number: 43043

Lot number: B03Q23

Analysis

H	1	Li	< 0.005	Be	< 0.005	B	< 0.01
C	16	N	10.5	O	171.5	F	< 0.05
Na	< 0.01	Mg	< 0.05	Al	0.27	Si	1.1
P	0.0115	S	5.5	Cl	0.08	K	< 0.01
Ca	< 0.2	V	0.09	Cr	0.6	Mn	0.0125
Fe	4	Co	0.009	Ni	0.175	Cu	0.225
Zn	< 0.05	Ga	< 0.05	Ge	< 0.05	As	< 0.01
Se	< 0.05	Zr	0.6	Nb	< 0.2	Mo	< 0.05
Ru	< 0.01	Rh	< 0.15	Pd	< 0.01	Ag	< 0.05
Cd	< 0.05	In	< 0.05	Sn	< 0.05	Sb	< 0.05
Te	< 0.05	Cs	< 0.01	Ba	< 0.005	La	< 0.005
Hf	< 0.01	W	< 0.01	Re	< 0.01	Os	< 0.01
Ir	< 0.01	Pt	< 0.05	Au	< 0.05	Hg	< 0.1
Tl	< 0.01	Pb	< 0.01	Bi	< 0.01	Ce	< 0.005
Nd	< 0.005	Th	< 0.001	U	< 0.001		

Values are given in ppm unless otherwise noted
Analysis method: GDMS/LECO

Certified by:



Quality Control

This document has been electronically generated and does not require a signature.