

Thermo Fisher Scientific hereby certifies that the product identified below is manufactured according to the requirements of product and quality specifications as maintained in our quality management system which is compliant to ISO 13485 (BSI Certificate Number: FM 653694) or ISO 9001 (BSI Certificate Number: FM 743358) in Mexico.



Ana Martinez
 Quality Manager

The following information represents Product Certification for: Item#: **312184-0004**

Description: **BTL PKG WM TRANS AMBR HDPE;4OZ**

Lot#: **1392307**

Manufactured: **09/04/2023**

Part Number	Description	Common Name	DMF#	Cytotoxicity	USP Class VI	FDA Compliance - 21 CFR
1-0622-72P	BTL, 125ML, RND, W/M, HDPE, AMB, TRANS	COMPONENT PART				
8-0042-34P	RESIN, HDPE, TRSL AMB, IBM, EBM, 2.8:100	COLOR MIX (HDPE, TRSL AMB)	N/A	PASSED	N/A	N/A
8-0042-31	RESIN, HDPE, IBM, EBM, EXT	HIGH-DENSITY POLYETHYLENE	3310	PASSED	PASSED	177.1520 (c) 3.2a
8-0099-16	COLOR, TRSL AMB, OLF	COLORANT, TRSL. AMBER	20858	N/A	N/A	177.1520, 178.2010, 3297
1-1811-86	CLOS, 38/415, PP, AMB, ANON	COMPONENT PART				
8-0071-14P	RESIN, PP, AMB, INJ	COMPONENT PART				
8-0071-06	Resin, PP, Inj	POLYPROPYLENE, INJECTION	9988	PASSED	PASSED	177.1520(a)(1)(i), (c)1.1a, 177.1520(b), (use conditions A-H)
8-0097-17	COLOR, AMBER, MULTI	COLORANT, OPAGUE, AMBER	24299	PASSED	PASSED	177.1520, 177.1350, 178.3297, 181.28

If N/A appears in any of the columns above it means the information is not available. Any item listed as "COMPONENT PART" will show blank in the DMF#, Cytotoxicity, USP Class VI, and FDA Compliance Information columns.

If the word "PASSED" appears in the USP Class VI column next to the resin listing, this material has passed USP Class VI requirements, latest Volume, as part of our initial test approval protocol.

If the word "PASSED" appears in the Cytotoxicity column next to the resin listing, this material was tested and shown to be non-cytotoxic as part of our initial test approval protocol, using either mouse fibroblast L929 cells or the more sensitive human diploid lung cell lines WI-38 or MRC-5.

ANIMAL DERIVED MATERIALS (BSE/TSE) - All resins and colorants used at the manufacturing site comply with the latest revision of EMA/410/01 section 6.4.