

Certificate of Analysis

LanthaScreen® Tb-anti-Goat Antibody, 25 µg



Part Number: PV3770
Lot Number: 34438A
Immediate Storage: -20°C
Shipping Conditions: dry ice

5791 Van Allen Way
Carlsbad, CA 92008
Phone: 760.603.7200
Fax: 760.602.6500
www.lifetechnologies.com

Description:

Tb-labeled species-specific secondary antibody for development of LanthaScreen® TR-FRET assays.

Concentration:

1.0 mg/mL as determined spectrophotometrically at A280.

Calculated **6730 nM** based on absorbance. The weight of the Tb label is negligible compared to the weight of the antibody.

Chelate to Antibody Ratio:

8:1 Determined spectrophotometrically.

Storage and Handling:

Spinning the antibody is important to reduce noise in the assay readout. Upon thaw of stock or aliquot, mix antibody by inversion or pipetting and centrifuge stock vial or aliquot of antibody at ~10,000 rpm for 5 minutes prior to use. After centrifugation, pipet the quantity of antibody needed for the assay from the top of the liquid, thereby minimizing the potential mixing of material that has been spun to the bottom of the vial. To reduce the number of freeze/thaws aliquots may be prepared. However, to facilitate spinning and pipetting, aliquots below 50 µL are not recommended. If properly stored at -20°C, this product is guaranteed for 6 months from date of purchase.

Storage Buffer:

10 mM HEPES (pH 7.5), 137 mM NaCl and 2.7 mM KCl (HEPES buffered saline).

Instrument Settings:


LanthaScreen® Tb-anti-Goat Antibody, used in a TR-FRET assay, requires a fluorescence plate reader capable of reading TR-FRET and filters in the **green** range. For instrument specific set-up information go to www.lifetechnologies.com/instrumentsetup.

QUALITY ASSURANCE

Functional Testing:

The performance of each lot of LanthaScreen® Tb-anti-Goat Antibody is confirmed by its ability to bind fluorescein-labeled goat IgG (PV3762). A titration of fluorescein-labeled goat IgG (PV3762) against 2nM LanthaScreen® Tb-anti-Goat Antibody was performed in TR-FRET dilution buffer (PV3574), final volume 20 µL.

Lot Specific Determinations:



Certificate of Analysis

Part Number: PV3770, Lot Number: 34438A



Becky. Baker, QA Engineer II

Date: 28/Jun/2012

LanthaScreen® is a registered trademark of Life Technologies Corporation.

Invitrogen™ is a trademark of Life Technologies Corporation.

Limited Use Label License: Research Use Only

These products may be covered by one or more Limited Use Label Licenses. By use of these products you accept the terms and conditions of all applicable Limited Use Label Licenses. O-091089 0110

All rights reserved. The trademarks mentioned herein are the property of Life Technologies Corporation or their respective owners.

For research use only. Not intended for human or animal therapeutic or diagnostic use.

For questions, please contact our Technical Support Team

N. Am Ph#: 800-955-6288 or INTL Ph#: 760-603-7200 Select option 5, ext. 40266 Email: drugdiscoverytech@lifetech.com