# GeneBLAzer™ M1-NFAT-bla Jurkat Cell-Based Assay

Catalog Number K1710

Doc. Part No. K1051.pps Pub. No. MAN0002772 Rev. 2.0



**WARNING!** Read the Safety Data Sheets (SDSs) and follow the handling instructions. Wear appropriate protective eyewear, clothing, and gloves. Safety Data Sheets (SDSs) are available from **thermofisher.com/support**.

## **Product description**

GeneBLAzer<sup>™</sup> M1-NFAT-*bla* Jurkat cells contain the human Cholinergic Receptor Muscarinic 1 (CHRM1) stably-integrated into the CellSensor<sup>™</sup> NFAT-bla Jurkat cell line. CellSensor<sup>™</sup> NFAT-bla Jurkat cells contain a beta-lactamase reporter gene under control of a NFAT response element. M1-NFAT-*bla* Jurkat cells have been functionally validated for Z'-Factor and EC<sub>50</sub> concentrations of Carbachol.




Table 1 Dose response of M1-NFAT-bla Jurkat cells to Carbachol

Parameter	Dividing cells
EC <sub>50</sub>	730 nM
Z'-factor at EC <sub>100</sub>	0.95

## Overview of GeneBLAzer™ GPCR cell-based assays

The GeneBLAzer™ GPCR cell-based assay provides a highly accurate, sensitive, and easy-to-use method of monitoring cellular response to drug candidates or other stimuli (Zlokarnik, 1998). The core of the GeneBLAzer™ assay technology is a beta-lactamase (bla) fluorescence resonance energy transfer (FRET) substrate that generates a ratiometric reporter response with minimal experimental noise. In addition to the dual-color (blue/green) readout of stimulated and unstimulated cells, this ratiometric method reduces the absolute and relative errors that can mask the underlying biological response of interest. Such errors include variations in cell number, transfection efficiency, substrate concentration, excitation path length, fluorescence detectors, and volume changes. The GeneBLAzer™ GPCR assay technology has been proven in high-throughput screening (HTS) campaigns for a range of target classes, including G-protein coupled receptors (GPCRs) (Kunapuli, 2003; Xing, 2000), nuclear receptors (Qureshi, 2003; Peekhaus, 2003; Chin, 2003), and kinase signaling pathways (Whitney, 1998). The utility of division-arrested (DA) cells in HTS has also been demonstrated (Fursov, 2005; Kunapuli, 2005; Digan, 2005; Vasudevan, 2005).

The GeneBLAzer™ assay technology uses a mammalian-optimized bla reporter gene combined with a FRET-enabled substrate to provide reliable and sensitive detection in cells (Zlokarnik, 1998) (Figure 1). Cells are loaded with an engineered fluorescent substrate containing two fluorophores: coumarin and fluorescein. In the absence of bla expression, the substrate molecule remains intact. In this state, excitation of the coumarin results in fluorescence resonance energy transfer to the fluorescein moiety and emission of green fluorescent light. However, in the presence of bla expression, the substrate is cleaved, separating the fluorophores and disrupting energy transfer. Excitation of the coumarin in the presence of bla enzyme activity results in a blue fluorescence signal.




Figure 1 Fluorescent detection of beta-lactamase reporter gene response using a FRET-enabled substrate

After substrate loading, in the absence of beta-lactamase expression, cells appear green fluorescent. In the presence of beta-lactamase expression, the substrate is cleaved and cells appear blue fluorescent.

## Contents and storage

Table 2 GeneBLAzer™ M1-NFAT-bla Jurkat cells (Cat. No. K1710)

Contents	Amount	Storage
GeneBLAzer™ M1-NFAT-bla Jurkat cells (Cat. No. K1051A)	1 tube	Liquid nitrogen, vapor phase
Protocol and Certificate of Analysis	-	-

**IMPORTANT!** Cells are shipped overnight on dry ice. Immediately upon receipt, either thaw for immediate use or store in liquid nitrogen, vapor phase. Cells stored for more than 1 day at -80°C quickly lose viability.

#### **Product details**

Feature	Details	
Shipping condition	Dry ice overnight	
Growth properties of dividing cells	Supension	
Cell phenotype	Lymphoblast	
Selection marker(s) for dividing cells	<ul> <li>Zeocin™ 100 μg/mL</li> <li>Geneticin™ 500 μg/mL</li> </ul>	
Mycoplasma testing	Negative	
Biosafety level	1	

## Required materials not supplied

Unless otherwise indicated, all materials are available through thermofisher.com. "MLS" indicates that the material is available from **fisherscientific.com** or another major laboratory supplier.

Item	Source			
Equipment				
Fluorescence plate reader with bottom-read capabilities	MLS			
Filters (if required for the plate reader)	Chroma Technologies			
(Optional) Mr. Frosty™ Freezing Container	5100-0001			
(Optional) Epifluorescence- or fluorescence-equipped microscope (with appropriate filters)	MLS			
(Optional) Microplate centrifuge	MLS			
Consumables				
Black-wall, clear-bottom, 384-well assay plates (with low fluorescence background)	Corning 3764			
Compressed air	MLS			
Reagents				
LiveBLAzer™-FRET B/G Loading Kit:  LiveBLAzer™-FRET B/G Substrate (CCF4-AM) (Cat. No. K1089) <sup>[1]</sup> DMSO for Solution A  Solution B  Solution C	K1095 <sup>[2]</sup>			
Solution D	K1156			
Recovery™ Cell Culture Freezing Medium	12648010			
DMEM, high glucose, GlutaMAX™ Supplement, pyruvate	10569010			
Fetal bovine serum (FBS), dialyzed, tissue-culture grade (Do Not Substitute.)	26400036			
MEM Non-Essential Amino Acids Solution (100X)	11140050			
DPBS, no calcium, no magnesium	14190136			
HEPES (1 M, pH 7.3)	15630080			
Sodium Pyruvate	11360070			
Carbachol	Sigma C4382			
Penicillin-Streptomycin (10,000 U/mL) (antibiotics)	15140122			
Zeocin™ Selection Reagent	R25001			
Geneticin™ Selective Antibiotic (G418 Sulfate) (50 mg/mL)	10131027			

 $<sup>^{[1]}\,</sup>$  Cat. No. K1089 can be purchased separately from the kit.  $^{[2]}\,$  Additional kit sizes are available.

#### Cell culture conditions

#### Media requirements

Unless otherwise indicated, equilibrate all media and solutions to 37°C (recommended) or room temperature before adding to the cells.

**IMPORTANT!** Do not make media substitutions. The cell lines have been validated for optimal assay performance using the media indicated. For dividing cells, we recommend storing an aliquot of cells for back-up in case of contamination or loss of cell supply.

Component	Assay Medium	Growth Medium	Thawing Medium	Freezing Medium
DMEM	99%	90%	90%	_
Dialyzed FBS (Do not substitute.)	0.1%	10%	10%	_
NEAA	_	0.1 mM	0.1 mM	_
Hepes (pH 7.3)	25 mM	25 mM	25 mM	_
Sodium Pyruvate	_	1 mM	1 mM	_
Penicillin (antibiotic)	100 U/mL	100 U/mL	100 U/mL	_
Streptomycin (antibiotic)	100 μg/mL	100 μg/mL	100 μg/mL	_
Recovery <sup>™</sup> Cell Culture Freezing Medium	_	_	_	100%
Zeocin™	_	100 μg/mL	_	_
Geneticin™ antibiotic	_	500 μg/mL	_	_

## Thawing method

Note: The cells are shipped on dry ice and may require a short recovery period before normal growth.

- 1. Place 14 mL of Thawing Medium into a T75 flask.
- 2. Place the flask in a humidified 37°C/5% CO<sub>2</sub> incubator for 15 minutes to allow the medium to equilibrate to the proper pH and temperature.
- 3. Remove the vial of cells to be thawed from liquid nitrogen, then rapidly thaw by placing the vial in a 37°C water bath with gentle agitation for 1–2 minutes. Do not submerge the vial in water.
- 4. Decontaminate the vial by wiping with 70% ethanol before opening in a Class II biological safety cabinet.
- 5. Transfer the vial contents, drop-wise, into 10 mL of Thawing Medium in a sterile 15-mL conical tube.
- 6. Centrifuge the cells at  $200 \times g$  for 5 minutes.
- 7. Aspirate the supernatant, then resuspend the cell pellet in 1 mL of fresh Thawing Medium.
- 8. Transfer the contents to the T75 tissue culture flask containing pre-equilibrated Thawing Medium, then place the flask in the humidified 37°C/5% CO<sub>2</sub> incubator.
- 9. At first passage, switch to Growth Medium.

#### Propagation method

- · Passage or feed cells at least twice a week.
- Maintain cells between 1 x 10<sup>5</sup> and 2 x 10<sup>6</sup> cells/mL.
- 1. To passage cells, centrifuge the cells at  $200 \times g$  for 5 minutes, then resuspend in Growth Medium.
- 2. Place cells into new flask.

#### Freezing method

- 1. Harvest the cells as described (see "Propagation method" on page 4). After detachment, count the cells, centrifuge at  $200 \times g$  for 5 minutes, then resuspend the cells in 4°C Freeze Medium at a density of  $2 \times 10^6$  cells/mL.
- 2. Transfer 1.0-mL aliquots into cryogenic vials.
- 3. Place in an insulated container for slow cooling (we recommend Mr. Frosty<sup>™</sup> Freezing Container, Cat. No. 5100-0001), then store overnight at -80°C.
- 4. Transfer to liquid nitrogen the next day for long-term storage.

## Assay procedure

The following instructions outline the recommended procedure for determining activity of compounds as modulators of M1 using LiveBLAzer<sup>™</sup>-FRET B/G Substrate as the readout. If alternative substrates are used (for example, ToxBLAzer<sup>™</sup> DualScreen or LyticBLAzer<sup>™</sup> Loading kits), follow the loading protocol provided with the product.

#### Procedural guidelines

- · Work on a dust-free, clean surface.
- Do not touch the bottom of the 384-well, black-wall, clear-bottom assay plate. Always handle the assay plate by the sides.
- If pipetting manually, briefly centrifuge the plate at room temperature (at 14 × g for 1 minute) after adding all assay components to ensure the reagents are on the bottom of the wells.
- Plate layouts and experimental outlines will vary. In screening mode, we recommend using at least three wells for each control: Unstimulated Control, Stimulated Control, and Cell-Free Control.
- Some solvents may affect assay performance. Assess the effects of solvents before screening. The cell stimulation procedure
  described in the following sections is carried out in the presence of 0.1% DMSO to simulate the effect that a Test Compound's
  solvent can have on the assay. If other solvents and/or solvent concentrations are used, optimize the assay conditions appropriately.

#### Quick assay reference guides

For a more detailed assay protocol, see the next section.

#### Table 3 Agonist Assay Quick Reference Guide

	Unstimulated Control wells	Stimulated Control wells	Cell-Free Control wells	Test Compound wells		
Step 1: Plate cells, incubate	32 µL cells in Assay Medium (10,000 cells/well)	32 µL cells in Assay Medium (10,000 cells/well)	32 µL Assay Medium (no cells)	32 µL cells in Assay Medium (10,000 cells/well)		
•	Incubate cells at 37°C/ 5%CO <sub>2</sub> for 16–20 hours.					
Step 2: Add Agonist or Test Compounds	8 μL Assay Medium with 0.5% DMSO	8 μL 5X Agonist in Assay Medium with 0.5% DMSO	8 μL Assay Medium with 0.5% DMSO	8 μL 5X Test Compounds with 0.5% DMSO		
Step 3: Incubate cells	Incubate in a humidified 37°C/5% CO <sub>2</sub> incubator for 5 hours.					
Step 4: Prepare 6X Substrate Mixture	<ol> <li>Combine 6 μL of 1 mM LiveBLAzer™-FRET B/G (CCF4-AM) (Solution A) + 60 μL of Solution B, then vortex.</li> <li>Add 904 μL of Solution C, then vortex.</li> <li>Add 30 μL of Solution D, then vortex.</li> </ol>					
Step 5: Add Substrate Mixture	Add 8 µL per well.					
Step 6: Incubate Substrate Mixture with cells	Incubate at room temperature for 2 hours in the dark.					
Step 7: Detect activity	See "Detection" on page 8.					
Step 8: Analyze data	See "Data analysis" on page 8.					

Table 4 Antagonist Assay Quick Reference Guide

	Unstimulated Control wells	Stimulated Control wells	Antagonist Control wells	Cell-Free Control wells	Test Compound wells
Step 1: Plate cells, incubate	32 µL cells in Assay Medium (10,000 cells/well)	32 µL cells in Assay Medium (10,000 cells/well)	32 µL cells in Assay Medium (10,000 cells/well)	32 µL Assay Medium (no cells)	32 µL cells in Assay Medium (10,000 cells/well)
	Incubate cells at 37°C/5%CO <sub>2</sub> for 16–20 hours.				
Step 2: Add Antagonist or Test Compounds, incubate	4 μL Assay Medium with 0.5% DMSO	4 μL Assay Medium with 0.5% DMSO	4 μL 10X Antagonist in Assay Medium with 0.5% DMSO	4 µL Assay Medium with 0.5% DMSO	4 μL 10X Test Compounds in Assay Medium with 0.5% DMSO
	Incubate plate with Antagonist for 30 minutes before proceeding.				
Step 3: Add Agonist	4 μL Assay Medium with 0.5% DMSO	4 μL 10X Agonist in Assay Medium with 0.5% DMSO	4 μL 10X Agonist in Assay Medium with 0.5% DMSO	4 μL 10X Agonist in Assay Medium with 0.5% DMSO	4 μL 10X Agonist in Assay Medium with 0.5% DMSO
Step 4: Incubate cells	Incubate in a humidified $37^{\circ}\text{C}/5\%$ CO <sub>2</sub> incubator for 5 hours.				
Step 5: Prepare 6X Substrate Mixture	<ol> <li>Combine 6 µL of 1 mM LiveBLAzer™-FRET B/G (CCF4-AM) (Solution A) + 60 µL of Solution B, then vortex.</li> <li>Add 904 µL of Solution C, then vortex.</li> <li>Add 30 µL of Solution D, then vortex.</li> </ol>				
Step 6: Add Substrate Mixture	Add 8 µL per well.				
Step 7: Incubate Substrate Mixture with cells	Incubate at room temperature for 2 hours in the dark.				
Step 8: Detect activity	See "Detection" on page 8.				
Step 9: Analyze data	See "Data analysis" on page 8.				

#### Detailed assay protocol

#### Plate cells

- 1. Harvest dividing cells, then resuspend in Assay Medium to a density of 312,500 cells/mL.
- 2. Add 32 μL per well of Assay Medium to the Cell-Free Control wells. Add 32 μL per well of the cell suspension to the Test Compound wells, the Unstimulated Control wells, and Stimulated Control wells.
- 3. Incubate cells at  $37^{\circ}$ C/ 5% CO<sub>2</sub> for 16–20 hours.
- 4. Proceed to the appropriate assay procedure.
  - For the Agonist assay—see "Agonist assay plate setup" on page 6.
  - For the Antagonist assay—see "Antagonist assay plate setup" on page 7.

#### Agonist assay plate setup

This section provides directions for performing an Agonist assay. See the next section for performing an Antagonist assay.

- 1. Prepare a stock solution of 0.5% DMSO in Assay Medium.
- 2. Prepare a 5X stock of Test Compounds in Assay Medium with 0.5% DMSO.
- 3. Prepare a 5X stock of Agonist in Assay Medium with 0.5% DMSO.

Note: We recommend running a dose response curve to determine the optimal concentration of the Agonist solution.

- 4. Add 8 µL of Assay Medium with 0.5% DMSO (prepared in step 1) to the Unstimulated Control and Cell-Free Control wells.
- 5. Add 8  $\mu$ L of the 5X Agonist stock solution to the Stimulated Control wells.

- 6. Add 8 μL of the 5X Test Compound stock solution to the Test Compound wells.
- 7. Incubate the Agonist assay plate in a humidified 37°C/5% CO<sub>2</sub> incubator for 5 hours. Then proceed to "Substrate preparation, loading, and incubation" on page 7.

#### Antagonist assay plate setup

This section provides directions for performing an Antagonist assay. See the previous section for performing an Agonist assay.

- 1. Prepare a stock solution of 0.5% DMSO in Assay Medium.
- 2. Prepare a 10X stock of Test Compounds in Assay Medium with 0.5% DMSO.
- 3. Prepare a 10X stock of Agonist in Assay Medium with 0.5% DMSO.

Note: We recommend running a dose response curve to determine the optimal Agonist concentration. For Antagonist assays, we recommend stimulating cells initially with an Agonist concentration in the  $EC_{50}$ – $EC_{80}$  range.

4. Prepare a 10X stock of Antagonist in Assay Medium with 0.5% DMSO.

Note: We recommend running a dose response curve to determine the optimal inhibition concentration for the Antagonist solution.

- 5. Add 4 µL of the 10X Test Compound stock solution to the Test Compound wells.
- Add 4 μL of the stock solution of 0.5% DMSO in Assay Medium to the Stimulated Control wells, the Unstimulated Control wells, and the Cell-Free Control wells.
- 7. Add 4 µL of the 10X Antagonist stock solution in Assay Medium with 0.5% DMSO to the Antagonist Control wells.
- 8. (Optional) If desired, incubate the Test Compounds with the cells in a humidified 37°C/5% CO<sub>2</sub> incubator before proceeding. A 30-minute incubation is typically sufficient.
- 9. Add 4 µL of the 10X Agonist stock solution to the Test Compound wells, the Stimulated Control wells, and the Antagonist Control wells.
- 10. Add 4 µL of Assay Medium with 0.5% DMSO (prepared in step 1) to the Unstimulated Control and Cell-Free Control wells.
- 11. Incubate the Antagonist assay plate in a humidified 37°C/5% CO<sub>2</sub> incubator for 5 hours. Then proceed to "Substrate preparation, loading, and incubation" on page 7.

#### Substrate preparation, loading, and incubation

This protocol is designed for loading cells with LiveBLAzer<sup>™</sup>-FRET B/G Substrate Mixture (CCF4-AM) Substrate Mixture. If you use alternative substrates, follow the loading protocol provided with the substrate.

**IMPORTANT!** Prepare LiveBLAzer<sup>™</sup>-FRET B/G Substrate Mixture (CCF4-AM) Substrate Mixture and load cells in the absence of direct, strong lighting. Turn off the light in the hood.

1. Prepare Solution A: 1 mM LiveBLAzer<sup>™</sup>-FRET B/G Substrate (CCF4-AM) Substrate Mixture in dry DMSO by adding 912 μL of DMSO per mg of dry substrate. Store aliquots of the stock solution at −20°C until use.

Note: The molecular weight of the LiveBLAzer<sup>™</sup>-FRET B/G Substrate (CCF4-AM) is 1096 g/mol.

- 2. Prepare 6X Substrate Mixture.
  - a. Add 6 µL of Solution A to 60 µL of Solution B, then vortex.
  - b. Add 904 µL of Solution C to the above solution, then vortex.
  - c. Add 30 µL of Solution D to the above solution, then vortex.
- 3. Remove the assay plate from the humidified 37°C/5% CO<sub>2</sub> incubator.

Note: Handle the plate gently. Do not touch the bottom of the assay plate.

4. Add 8 µL of 6X Substrate Mixture to each well.

- 5. Cover the plate to protect it from light and prevent evaporation.
- 6. Incubate at room temperature for 2 hours.

#### Detection

Measure fluorescence at room temperature from the bottom of the wells.

Before reading the plate, use compressed air to remove any dust from the bottom of the plate.

Instrumentation, filters, and plates

- Use a fluorescence plate reader with bottom-reading capabilities.
- Use the following recommended filters for the fluorescence plate reader:

Excitation filter: 409/20 nmEmission filter: 460/40 nmEmission filter: 530/30 nm

#### Read an assay plate

- 1. Set the fluorescence plate reader to bottom-read mode with optimal gain and 5 reads.
- 2. Allow the lamp in the fluorescence plate reader to warm up for at least 10 minutes before making measurements.
- 3. Use the following filter selections.

	Scan 1 <sup>[1]</sup>	Scan 2 <sup>[2]</sup>
Excitation filter	409/20 nm	409/20 nm
Emission filter	460/40 nm	530/30 nm

<sup>[1]</sup> Measures fluorescence in the Blue channel.

#### Data analysis

Subtract the background, then calculate the emission ratio

We recommend subtracting the background for both emission channels (460 nm and 530 nm).

- 1. Use the assay plate layout to identify the location of the Cell-Free Control wells. These control wells are used for background subtraction.
- 2. Determine the average emission from the Cell-Free Control wells at both 460 nm (Average Blue Background) and 530 nm (Average Green Background).
- 3. Subtract the Average Blue Background from all of the Blue emission data.
- 4. Subtract the Average Green Background from all of the Green emission data.
- 5. Calculate the Blue/Green Emission Ratio for each well by dividing the background-subtracted Blue emission values by the background-subtracted Green emission values.

Visual observation of intracellular beta-lactamase activity using LiveBLAzer™-FRET B/G Substrate (CCF4-AM)

**Note:** Microscopic visualization of cells will cause photobleaching. Always read the assay plate in the fluorescence plate reader before performing microscopic visualization.

An inverted microscope equipped for epifluorescence and with either a xenon or mercury excitation lamp can be used to view the LiveBLAzer -FRET B/G Substrate (CCF4-AM) signal in cells. To visually inspect the cells, you will need a long-pass filter passing blue and green fluorescence light, so that your eye can visually identify whether the cells are fluorescing green or blue.

The following recommended filter set for observing beta-lactamase activity is available from Chroma Technology (www.chroma.com).

<sup>[2]</sup> Measures FRET signal in the Green channel.

#### Chroma Complete Filter Set (41031):

- Excitation filter-HQ405/20x (405 ± 10)
- Dichroic mirror-425 DCXR
- Emission filter-HQ435LP (435 long-pass)

Filter sizes vary for specific microscopes and need to be specified when the filters are ordered. For epifluorescence microscopes, a long-pass dichroic mirror is needed to separate excitation and emission light and should be matched to the excitation filter (to maximally block the excitation light around 405 nm, yet allow good transmission of the emitted light).

## Limited product warranty

Life Technologies Corporation and/or its affiliate(s) warrant their products as set forth in the Life Technologies' General Terms and Conditions of Sale at www.thermofisher.com/us/en/home/global/terms-and-conditions.html. If you have any questions, please contact Life Technologies at www.thermofisher.com/support.

## References

Zlokarnik G, Negulescu PA, Knapp TE, Mere L, Burres N, Feng L, Whitney M, Roemer K, Tsien RY (1998) Quantitation of Transcription and Clonal Selection of Single Living Cells with Beta-Lactamase as Reporter. *Science* 279:84–88.

Kunapuli P, Ransom R, Murphy K, Pettibone D, Kerby J, Grimwood S, Zuck P, Hodder P, Lacson R, Hoffman I, Inglese J, Strulovici B (2003) Development of an Intact Cell Reporter Gene Beta-lactamase Assay for G Protein-coupled Receptors. *Analytical Biochem* 314:16–29

Xing H, Tran HC, Knapp TE, Negulescu PA, Pollok BA (2000) A Fluorescent Reporter Assay For The Detection of Ligands Acting Through G1 Protein-coupled Receptors. *J Recept Signal Transduct Res* 20:189–210.

Qureshi SA, Sanders P, Zeh K, Whitney M, Pollok B, Desai R, Whitney P, Robers M, Hayes SA (2003) A One-Arm Homologous Recombination Approach for Developing Nuclear Receptor Assays in Somatic Cells. *Assay Drug Dev Technol* 1:755–766.

Peekhaus NT, Ferrer M, Chang T, Kornienko O, Schneeweis JE, Smith TS, Hoffman I, Mitnaul LJ, Chin J, Fischer PA, Blizzard TA, Birzin ET, Chan W, Inglese J, Strulovici B, Rohrer SP, Schaeffer JM (2003) A beta-lactamase-dependent Gal4-estrogen receptor beta transactivation assay for the ultra-high throughput screening of estrogen receptor beta agonists in a 3456-well format. *Assay Drug Dev Technol* 1:789–800.

Chin J, Adams AD, Bouffard A, Green A, Lacson RG, Smith T, Fischer PA, Menke JG, Sparrow CP, Mitnaul LJ (2003) Miniaturization of Cell-Based, Beta-Lactamase-Dependent FRET Assays to Ultra-High Throughput Formats to Identify Agonists of Human Liver X Receptors. Assay Drug Dev Technol 1:777–787.

Whitney M, Rockenstein E, Cantin G, Knapp T, Zlokarnik G, Sanders P, Durick K, Craig FF, Negulescu PA (1998) A Genome-wide Functional Assay of Signal Transduction in Living Mammalian Cells. *Nat Biotechnol* 16:1329–1333.

Fursov N, Cong M, Federici M, Platchek M, Haytko P, Tacke R, Livelli T, Zhong Z (2005) Improving Consistency of cell-based assays by using division-arrested cells. *Assay Drug Dev Technol* 3:7–15.

Kunapuli P, Zheng W, Weber M, Solly K, Mull R, Platchek M, Cong M, Zhong Z, Strulovici B (2005) Application of division arrest technology to cell-based HTS: comparison with frozen and fresh cells. *Assay Drug Dev Technol* 3:17–26.

Digan ME, Pou C, Niu H, Zhang JH (2005) Evaluation of division-arrested cells for cell-based high-throughput screening and profiling. *J Biomol Screen* 10:615–623.

Vasudevan C, Fursov N, Maunder P, Cong M, Federici M, Haskins JR, Livelli T, Zhong Z (2005) Improving high-content-screening assay performance by using division-arrested cells. *Assay Drug Dev Technol* 3:515–523.



Life Technologies Corporation | 3175 Staley Road | Grand Island, NY 14072 For descriptions of symbols on product labels or product documents, go to **thermofisher.com/symbols-definition**.

The information in this guide is subject to change without notice.

**DISCLAIMER**: TO THE EXTENT ALLOWED BY LAW, THERMO FISHER SCIENTIFIC INC. AND/OR ITS AFFILIATE(S) WILL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, INDIRECT, PUNITIVE, MULTIPLE, OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH OR ARISING FROM THIS DOCUMENT, INCLUDING YOUR USE OF IT.

Important Licensing Information: These products may be covered by one or more Limited Use Label Licenses. By use of these products, you accept the terms and conditions of all applicable Limited Use Label Licenses.

©2020 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified.

