

SENSITITRE™ ANAEROBE PLATE FORMAT

Plate Code: **ANO2B**

Plate Type: **MIC**

	1	2	3	4	5	6	7	8	9	10	11	12
A	A/S2 0.5/0.25	A/S2 1/0.5	A/S2 2/1	A/S2 4/2	A/S2 8/4	A/S2 16/8	AUG2 0.5/0.25	AUG2 1/0.5	AUG2 2/1	AUG2 4/2	AUG2 8/4	AUG2 16/8
B	TANS 4	TANS 8	TANS 16	TANS 32	TANS 64	PEN 0.06	PEN 0.12	PEN 0.25	PEN 0.5	PEN 1	PEN 2	PEN 4
C	IMI 0.12	IMI 0.25	IMI 0.5	IMI 1	IMI 2	IMI 4	IMI 8	MERO 0.5	MERO 1	MERO 2	MERO 4	MERO 8
D	CLI 0.25	CLI 0.5	CLI 1	CLI 2	CLI 4	CLI 8	FOX 1	FOX 2	FOX 4	FOX 8	FOX 16	FOX 32
E	MRD 0.5	MRD 1	MRD 2	MRD 4	MRD 8	MRD 16	CHL 2	CHL 4	CHL 8	CHL 16	CHL 32	CHL 64
F	AMP 0.5	AMP 1	AMP 2	AMP 4	AMP 8	AMP 16	PIP 4	PIP 8	PIP 16	PIP 32	PIP 64	PIP 128
G	TET 0.25	TET 0.5	TET 1	TET 2	TET 4	TET 8	MEZ 4	MEZ 8	MEZ 16	MEZ 32	MEZ 64	MEZ 128
H	P/T4 0.25/4	P/T4 0.5/4	P/T4 1/4	P/T4 2/4	P/T4 4/4	P/T4 8/4	P/T4 16/4	P/T4 32/4	P/T4 64/4	P/T4 128/4	POS	POS

ANTIMICROBICS

A/S2	Ampicillin / sulbactam 2:1 ratio
AUG2	Amoxicillin / clavulanic acid 2:1 ratio
TANS	Cefotetan
PEN	Penicillin
IMI	Imipenem
MERO	Meropenem
CLI	Clindamycin
FOX	Cefoxitin
MRD	Metronidazole
CHL	Chloramphenicol
AMP	Ampicillin
PIP	Piperacillin
TET	Tetracycline
MEZ	Mezlocillin
P/T4	Piperacillin / tazobactam constant 4
POS	Positive Control