

CERTIFICATE OF ANALYSIS

PRODUCT CM0423B
CLED MED. WITH ANDRADE INDICATOR 500g

LOT NUMBER 6195056

EXPIRY DATE 2029.11.30

DATE OF MANUFACTURE 2024.11.15

Delivery/Customer information

Date Printed

2024.12.12

Delivery No.

Customer

Customer Order Number

Physical Characteristics

Results

Specification

Appearance
Colour on reconstitution
pH (25°C)
Clarity

Light green powder
Blue/green
7.4
Clear

Light green powder
Blue/green
7.3 - 7.7
Clear

Microbiological Performance

Control
cfu

Test
cfu

Recovery Test
% Description

Aerobic incubation at 37°C for 18 hours

<i>Escherichia coli</i> ATCC®25922	33	30	91	Orange, semi-trans cols, pink halo
<i>Enterococcus faecalis</i> ATCC®19433	27	35	130	Deep orange cols, pink halo
<i>Staphylococcus aureus</i> ATCC®25923	59	58	98	Yellow/orange cols, pink halo
<i>Proteus mirabilis</i> NCTC10975	58	58	100	Blue/green, translucent cols
<i>Salmonella typhimurium</i> ATCC®14028	53	55	104	Pale blue cols

Aerobic incubation at 37°C for 48 hours

<i>Lactobacillus fermentum</i> ATCC®9338	79	71	90	Colourless cols
--	----	----	----	-----------------

Control Media: Tryptone Soya Agar or Columbia Blood Agar enriched with 5% v/v horse blood, where appropriate

A satisfactory result is represented by recovery of positive strains equal to or greater than 70% of the control medium from an inoculum of 10-100 colony-forming units (cfu).

In mixed culture, a satisfactory result is represented by a positive diagnostic reaction of *Proteus mirabilis* NCTC10975 and *Escherichia coli* ATCC®25922 from an inoculum of 1E+04 to 1E+06 cfu after aerobic incubation at 37°C for 18 hours. Clear differentiation between lactose and non-lactose fermenters shall be seen.

Refer to product specification for full details.

OXOID LIMITED

Wade Road, Basingstoke, Hampshire RG24 8PW. England

www.ThermoFisher.com

CERTIFICATE OF ANALYSIS

PRODUCT	CM0423B
	CLED MED. WITH ANDRADE INDICATOR 500g
LOT NUMBER	6195056

The accuracy of the information provided in this certificate of analysis / conformity is considered reliable. However, it is important to note that (i) the information is only applicable, and (ii) the product is only approved, for the product's intended use as specified on the label, specification, and website. No warranty is hereby implied. This certificate may only be reproduced in its entirety and cannot be replicated partially or in any altered form.

Lot Accepted. 2024.11.27

This certificate is produced electronically and valid without a signature.

ATCC is a registered trade mark of the American Type Culture Collection.

NCTC and National Collection of Type Cultures are registered trade marks of the Health Protection Agency.

OXOID LIMITED

Wade Road, Basingstoke, Hampshire RG24 8PW. England

www.ThermoFisher.com