

CERTIFICATE OF ANALYSIS

PRODUCT CM0559B
PSEUDOMONAS AGAR BASE 500g

LOT NUMBER 6262811

EXPIRY DATE 2030.05.31

DATE OF MANUFACTURE 2025.04.29

Delivery/Customer information

Date Printed

2025.05.23

Delivery No.

Customer

Customer Order Number

Physical Characteristics	Results	Specification
Appearance	Straw powder	Straw powder
Colour on reconstitution	Straw 1-2	Straw 1-2
pH (25°C)	7.0	6.9 - 7.3
Clarity	Clear	Clear

Microbiological Performance	Control cfu	Test cfu	Recovery Test %	Description
-----------------------------	----------------	-------------	--------------------	-------------

Tested with the addition of Pseudomonas CN Selective Supplement SR0102

Aerobic incubation at 36 ± 2°C for 18 ± 2 hours

<i>Pseudomonas aeruginosa</i> ATCC®25668	98	89	91
--	----	----	----

Inoculation using diminishing sweep technique

<i>Pseudomonas aeruginosa</i> ATCC®25668	>1E+04	-	-	Straw cols, green pigment
<i>Burkholderia cepacia</i> ATCC®25416	>1E+04	-	-	Straw cols
<i>Pseudomonas putida</i> NCIMB9034	>1E+04	0	-	No growth
<i>Pseudomonas fluorescens</i> NCTC3756	>1E+04	0	-	No growth
<i>Proteus hauseri</i> ATCC®13315	>1E+04	0	-	No growth
<i>Klebsiella pneumoniae</i> ATCC®29665	>1E+04	0	-	No growth
<i>Staphylococcus aureus</i> ATCC®25923	>1E+04	0	-	No growth
<i>Citrobacter freundii</i> ATCC®8090	>1E+04	0	-	No growth

Tested with the addition of Pseudomonas CFC Selective Supplement SR0103

Aerobic incubation at 30 ± 2°C for 44 ± 4 hours

<i>Pseudomonas aeruginosa</i> ATCC®27853	75	82	109	
<i>Burkholderia cepacia</i> ATCC®25416	54	46	85	
<i>Klebsiella pneumoniae</i> ATCC®29665	>1E+04	0	-	No growth
<i>Staphylococcus aureus</i> ATCC®25923	>1E+04	0	-	No growth
	Control cfu	Test cfu	Log(10) Reduction	
<i>Citrobacter freundii</i> ATCC®8090	6.9E+02	7.0E+00	2	Straw cols
<i>Proteus hauseri</i> ATCC®13315	5.6E+04	1.0E+00	5	1-2mm straw cols

Inoculation using diminishing sweep technique

<i>Pseudomonas aeruginosa</i> ATCC®27853	>1E+04	-	-	Straw cols, green pigment
<i>Burkholderia cepacia</i> ATCC®25416	>1E+04	-	-	Straw cols

Aerobic incubation at 25 ± 2°C for 44 ± 4 hours

CERTIFICATE OF ANALYSIS

PRODUCT	CM0559B	
	PSEUDOMONAS AGAR BASE	500g
LOT NUMBER	6262811	

<i>Pseudomonas putida</i> NCIMB9034	21	27	129	
-------------------------------------	----	----	-----	--

Inoculation using diminishing sweep technique

<i>Pseudomonas putida</i> NCIMB9034	>1E+04	-	-	Straw cols
-------------------------------------	--------	---	---	------------

Testing has been performed in accordance with ISO11133:2014

Tested with the addition of Pseudomonas CN Selective Supplement SR0102

Aerobic incubation at 36 ± 2°C for 44 ± 4 hours

Filtration technique

<i>Ps. aeruginosa</i> ATCC®27853 WDCM00025	70	56	80	Straw cols, green pigment
<i>Ps. aeruginosa</i> ATCC®9027 WDCM00026	102	107	105	Straw cols, green pigment
<i>Ps. aeruginosa</i> ATCC®10145 WDCM00024	73	78	107	Straw cols, green pigment

Fluorescence

	Inoculum			Test Description
<i>Ps. aeruginosa</i> ATCC®27853 WDCM00025	70	-	-	+ve fluorescence
<i>Ps. aeruginosa</i> ATCC®9027 WDCM00026	102	-	-	+ve fluorescence
<i>Ps. aeruginosa</i> ATCC®10145 WDCM00024	73	-	-	+ve fluorescence

Inoculation using diminishing sweep technique

<i>E. coli</i> ATCC®8739 WDCM00012	4.9E+04	-	-	No growth
<i>E. coli</i> ATCC®25922 WDCM00013	>1E+04	0	-	No growth
<i>E. faecalis</i> ATCC®19433 WDCM00009	>1E+04	0	-	No growth
<i>E. faecalis</i> ATCC®29212 WDCM00087	>1E+04	0	-	No growth

Tested with the addition of Pseudomonas CFC Selective Supplement SR0103

Surface plate technique

Aerobic incubation at 25 ± 2°C for 44 ± 4 hours

<i>Ps. fluorescens</i> ATCC®13525 WDCM00116	101	81	80	Straw cols, yellow/green pigment
<i>Ps. fragi</i> ATCC®4973 WDCM00115	102	104	102	Straw cols
<i>E. coli</i> ATCC®8739 WDCM00012	>1E+04	0	-	No growth
<i>E. coli</i> ATCC®25922 WDCM00013	>1E+04	0	-	No growth

Control Medium: Tryptone Soya Agar

A satisfactory result is represented by recovery of positive strains equal to or greater than 50% of the control medium.

For *Escherichia coli* ATCC®8739 WDCM00012, testing with the addition of Pseudomonas CN Selective Supplement SR0102, a satisfactory result is represented by less than 50 cfu from an inoculum of greater than 1E+04 colony-forming units (cfu).

Some strains of *Pseudomonas aeruginosa* may produce little or no pigment with single colonies from low inocula. *Pseudomonas* species are also tested using high inocula.

Refer to product specification for full details.

OXOID LIMITED

Wade Road, Basingstoke, Hampshire RG24 8PW. England

www.ThermoFisher.com

CERTIFICATE OF ANALYSIS

PRODUCT	CM0559B
	PSEUDOMONAS AGAR BASE 500g
LOT NUMBER	6262811

The accuracy of the information provided in this certificate of analysis / conformity is considered reliable. However, it is important to note that (i) the information is only applicable, and (ii) the product is only approved, for the product's intended use as specified on the label, specification, and website. No warranty is hereby implied. This certificate may only be reproduced in its entirety and cannot be replicated partially or in any altered form.

Lot Accepted. 2025.05.23

This certificate is produced electronically and valid without a signature.

ATCC is a registered trade mark of the American Type Culture Collection.

NCTC and National Collection of Type Cultures are registered trade marks of the Health Protection Agency.