

CERTIFICATE OF ANALYSIS

PRODUCT CM0653B
YERSINIA SEL. AGAR BASE 500g

LOT NUMBER 6160620

EXPIRY DATE 2027.09.30

DATE OF MANUFACTURE 2024.08.30

Delivery/Customer information

Date Printed

2024.09.24

Delivery No.

Customer

Customer Order Number

Physical Characteristics	Results	Specification
Appearance	Straw powder	Straw powder
Colour on reconstitution	Red	Red
pH (25°C)	7.3	7.2 - 7.6
Clarity	Clear	Clear

Microbiological Performance	Control cfu	Test cfu	Recovery Test %	Description
-----------------------------	----------------	-------------	--------------------	-------------

Tested with the addition of Yersinia Selective Supplement SR0109

Aerobic incubation at 30 ± 2°C for 21 ± 3 hours

<i>Yersinia enterocolitica</i> ATCC®27729	64	50	78	Transparent, red, bull's-eye cols
<i>Yersinia enterocolitica</i> NCTC10460	34	40	118	Transparent, red, bull's-eye cols
<i>Citrobacter freundii</i> ATCC®8090	75	62	83	Pink cols
	Control cfu	Test cfu	Log(10) Reduction	
<i>Proteus mirabilis</i> ATCC®29906	6.1E+04	0.0E+00	5	No growth

Testing has been performed in accordance with ISO11133:2014

Aerobic incubation at 30 ± 2°C for 21 ± 3 hours

<i>Y. enterocolitica</i> ATCC®23715 WDCM00160	61	61	101	Transparent, red, bull's-eye cols
<i>E. coli</i> ATCC®25922 WDCM00013	>1E+04	0	-	No growth
<i>E. coli</i> ATCC®8739 WDCM00012	>1E+04	0	-	No growth
<i>S. aureus</i> ATCC®25923 WDCM00034	>1E+04	0	-	No growth

Tested in accordance with current CLSI M22 A

Aerobic incubation at 30 ± 2°C for 21 ± 3 hours

<i>Yersinia enterocolitica</i> ATCC®9610	1.1E+03	-	-	Transparent, red, bull's-eye cols
<i>Escherichia coli</i> ATCC®25922	>1E+04	0	-	No growth
<i>Pseudomonas aeruginosa</i> ATCC®27853	>1E+04	0	-	No growth
<i>Enterococcus faecalis</i> ATCC®29212	>1E+04	0	-	No growth

Control Medium: Tryptone Soya Agar

A satisfactory result is represented by recovery of positive strains equal to or greater than 70% of the control medium.
For *Yersinia enterocolitica* ATCC®9610, a satisfactory result is represented by a positive diagnostic reaction.

CERTIFICATE OF ANALYSIS

PRODUCT	CM0653B
LOT NUMBER	YERSINIA SEL. AGAR BASE 500g 6160620

Refer to product specification for full details.

The accuracy of the information provided in this certificate of analysis / conformity is considered reliable. However, it is important to note that (i) the information is only applicable, and (ii) the product is only approved, for the product's intended use as specified on the label, specification, and website. No warranty is hereby implied. This certificate may only be reproduced in its entirety and cannot be replicated partially or in any altered form.

Lot Accepted. 2024.09.13

This certificate is produced electronically and valid without a signature.

ATCC is a registered trade mark of the American Type Culture Collection.

NCTC and National Collection of Type Cultures are registered trade marks of the Health Protection Agency.