

## Certificate of Analysis

**Product Name:** G. stearothermophilus ATCC 12980 PK/5  
**Lot Number:** 494428

**Product Number:** R4601219  
**Expiration Date:** 2023-11-14  
(YYYY-MM-DD)

This product has been manufactured, processed and packaged in accordance with Quality Systems Regulation, 21 CFR Part 820. Representative samples were tested per Remel Inc., a part of Thermo Fisher Scientific Quality Control specifications and were found to meet performance criteria for this product.

### Purity:

Standardized aliquots of the rehydrated product are inoculated onto nonselective media and examined for pure growth following the appropriate incubation. Selective and Differential media are also tested where applicable.

### Viability And Quantification:

Each organism is recovered from the preserved state within the required time frame and at an acceptable level. Passage number is stated as the current preserved state.

### Macroscopic And Microscopic Morphology:

Colony morphology is consistent with documented referenced description.  
Traditional staining is performed.

### Characterization:

Organism exhibits characteristic biochemical, enzymatic, genotypical and/or biochemical reactions. Automated and/or conventional testing was performed and results were within established limits. Antimicrobial testing performed where applicable. Results within expected ranges.

CFU/loop: >10(4)  
Gram Reaction: Gram Positive Rod

Passage: 3  
Identification Profile: MicroSEQ® or Vitek® 2

Appearance: Preserved Gel Matrix suspended in inoculating loop  
pH: N/A

Note: G. stearothermophilus was formerly named Bacillus stearothermophilus.

## Certificate of Analysis

Signed



Quality Assurance Manager

The identity, purity, and authenticity of the Licensed Products are exclusively the responsibility of Remel Inc. and not ATCC. The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative Word mark, and the ATCC Catalog Marks are trademarks of ATCC.

Remel Inc. is licensed to use these trademarks and to sell products derived from ATCC® culture.

