

Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	A567	Quality Test / Release Date	06/09/2021
Lot Number	212539		
Description	ALUMINUM AMMONIUM SULFATE, CERTIFIED		
Country of Origin	India	Suggested Retest Date	Mar/2024

N/A				
Result Name	Units	Specifications	Test Value	
APPEARANCE		REPORT	Colorless crystals	
ALKALIS & EARTHS	%	<= 0.10	0.01	
ARSENIC (As)	ppm	<= 1	<1	
CHLORIDE	%	<= 0.001	<0.001	
HEAVY METALS (as Pb)	%	<= 0.001	<0.001	
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST	
INSOLUBLE MATTER	%	<= 0.005	0.001	
IRON (Fe)	%	<= 0.002	<0.002	
LOSS ON DRYING @ 105 C	%	Inclusive Between 47.2 - 47.7	47.5	

Julian Burton - Quality Control Manager - Fair Lawn

Julian Burton