

Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

| Catalog Number | A74 | Quality Test / Release Date | 04/12/2019 | |
|-------------------|--|-----------------------------|------------|--|
| Lot Number | 185747A | | | |
| Description | BORIC ACID, A.C.S. | | | |
| Country of Origin | France | Suggested Retest Date | Apr/2024 | |
| Chemical Origin | Inorganic-non animal | | | |
| BSE/TSE Comment | The products(s) listed above have not been contaminated or in contact with bovine spongiform encephalopathy (BSE) nor transmittable spongiform encephalopathy (TSE). | | | |
| Chemical Comment | | | | |

| N/A | | | | |
|----------------------------|-----------|----------------|---------------------------|--|
| Result Name | Units | Specifications | Test Value | |
| APPEARANCE | | REPORT | White powder not crystals | |
| ASSAY | % | >= 99.5 | 100.2 | |
| CALCIUM | % | <= 0.005 | <0.005 | |
| CHLORIDE | % | <= 0.001 | <0.001 | |
| HEAVY METALS (as Pb) | % | <= 0.001 | <0.001 | |
| SULFATE (SO4) | % | <= 0.01 | <0.01 | |
| INSOLUBLE IN METHANOL | % | <= 0.005 | <0.005 | |
| IRON (Fe) | % | <= 0.001 | <0.001 | |
| NON-VOLATILE WITH METHANOL | % | <= 0.05 | <0.01 | |
| PHOSPHATE (PO4) | % | <= 0.001 | <0.001 | |
| IDENTIFICATION | PASS/FAIL | = PASS TEST | pass test | |

Derisa Bailey-Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn