

Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	A74	Quality Test / Release Date	07/30/2019	
Lot Number	194650			
Description	BORIC ACID, A.C.S.			
Country of Origin	France	Suggested Retest Date	Jul/2024	
Chemical Origin	Inorganic-non animal			
BSE/TSE Comment	The products(s) listed above have not been contaminated or in contact with bovine spongiform encephalopathy (BSE) nor transmittable spongiform encephalopathy (TSE).			
Chemical Comment				

N/A				
Result Name	Units	Specifications	Test Value	
APPEARANCE		REPORT	White powder not crystals	
ASSAY	%	>= 99.5	99.7	
CALCIUM	%	<= 0.005	<0.005	
CHLORIDE	%	<= 0.001	<0.001	
HEAVY METALS (as Pb)	%	<= 0.001	<0.001	
SULFATE (SO4)	%	<= 0.01	<0.01	
INSOLUBLE IN METHANOL	%	<= 0.005	<0.005	
IRON (Fe)	%	<= 0.001	<0.001	
NON-VOLATILE WITH METHANOL	%	<= 0.05	<0.05	
PHOSPHATE (PO4)	%	<= 0.001	<0.001	
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST	

Derisa Bailey-Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn