

## Certificate of Analysis

1 Reagent Lane	
Fair Lawn, NJ 07410	
201.796.7100 tel	Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
201.796.1329 fax	Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120633

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	BP1302	Quality Test / Release Date	03/22/2023	
Lot Number	230132	Expiration Date	Jun/2024	
Description	ETHIDIUM BROMIDE 1% SOLUTION			
Country of Origin	United States			
Chemical Origin	Organic - non animal			
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.			

N/A					
Result Name	Units	Specifications	Test Value		
APPEARANCE		REPORT	Dark red haze-free liquid		
DNASE	DETECTED/NOT DETECT.	= NOT DETECTED	NOT DETECTED		
ELECTROPHORESIS	PASS/FAIL	= PASS TEST	PASS TEST		
EXTINCTION 1%	GM(-1)CM(-1)MIN	>= 100	>100		
LAMBDA MAX	NM	Inclusive Between 478 - 482	480		
PROTEASE	DETECTED/NOT DETECT.	= NOT DETECTED	NOT DETECTED		
RNASE	DETECTED/NOT DETECT.	= NOT DETECTED	NOT DETECTED		

Audhatoa chite.

Chetan Dudhatra - Quality Control Supervisor - Bridgewater

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above. If there are any questions with this certificate, please call at (800) 227-6701. \*Based on suggested storage condition.