

## Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	BP1335	Quality Test / Release Date	04/23/2019
Lot Number	187419		
Description	TRIS-ACETATE-EDTA (TAE BUFFER)		
Country of Origin	United States	Suggested Retest Date	Apr/2024
Chemical Origin	Organic - non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		
Chemical Comment			

N/A				
Result Name	Units	Specifications	Test Value	
APPEARANCE		REPORT	Clear, colorless liquid	
CONDUCTIVITY OF SOLUTION	MICROMHOS	= Report	1190	
DNASE	PASS/FAIL	= NOT DETECTED	NOT DETECTED	
RNASE	PASS/FAIL	= NOT DETECTED	NOT DETECTED	
pH OF A 1X SOLUTION		Inclusive Between 8.2 - 8.4	8.3	
PROTEASE	PASS/FAIL	= NOT DETECTED	NOT DETECTED	
ELECTROPHORESIS		= PASS TEST	PASS TEST	

Derisa Bailey-Wyche

Quality Assurance Specialist - Certificate of Analysis Fair Lawn