

## Certificate of Analysis

1 Reagent Lane	
Fair Lawn, NJ 07410	
201.796.7100 tel	Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
201.796.1329 fax	Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	H292	Quality Test / Release Date	04/23/2021
Lot Number	211034		
Description	HEXANES, A.C.S.		
Country of Origin	United States	Suggested Retest Date	Apr/2026
Chemical Origin	Organic - non animal		
BSE/TSE Comment	No animal products are used in the manufacture of this product, nor do any animal products come into contact with it. As a result, there should be no BSE or TSE present.		

N/A					
Result Name	Units	Specifications	Test Value		
APPEARANCE		REPORT	CLEAR, COLORLESS LIQUID		
ASSAY	%	>= 98.5	99.9		
COLOR	APHA	<= 10	5		
DENSITY AT 25 DEGREES C	GM/ML	Inclusive Between 0.653 - 0.673	0.671		
EVAPORATION RESIDUE	%	<= 0.001	<0.0001		
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST		
SULFUR COMPOUNDS	%	<= 0.005	<0.005		
THIOPHENE	PASS/FAIL	= PASS TEST	PASS TEST		
WATER-SOLUBLE TITRABLE ACID	MEQ/G	<= 0.0003	0.00007		

Julian Buston

Julian Burton - Quality Control Manager - Bridgewater

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above. If there are any questions with this certificate, please call at (800) 227-6701. \*Based on suggested storage condition.