

Certificate of Analysis

1 Reagent Lane
 Fair Lawn, NJ 07410
 201.796.7100 tel
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	P212	Quality Test / Release Date	03/29/2022
Lot Number	220178		
Description	POTASSIUM CHLORATE CRYSTAL ACS		
Country of Origin	United States	Suggested Retest Date	Dec/2026

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Small, white crystals
ASSAY	%	>= 99.0	99.2
BROMATE	%	<= 0.015	<0.015
CALCIUM	%	<= 0.002	<0.002
CHLORIDE	%	<= 0.001	<0.001
HEAVY METALS BY ICP-OES	ppm	<= 5	<5
IDENTIFICATION	PASS/FAIL	IN PASS TEST	PASS TEST
INSOLUBLE MATTER	%	<= 0.005	0.003
IRON (Fe)	ppm	<= 3	<3
MAGNESIUM	%	<= 0.002	<0.002
SODIUM (Na)	%	<= 0.01	<0.01
SULFATE (SO4)	PASS/FAIL	IN P.T. (ABOUT 0.002%);PASS TEST	P.T. (ABOUT 0.002%)



Julian Burton - Quality Control Manager – Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.
 If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.