

Certificate of Analysis

1 Reagent Lane Fair Lawn, NJ 07410 201.796.7100 tel 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	S398	Quality Test / Release Date	03/31/2021	
Lot Number	211541			
Description	SODIUM METAPERIODATE, A.C.S.			
Country of Origin	India	Suggested Retest Date	May/2022	
Chemical Origin	Inorganic-non animal			
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.			

N/A				
Result Name	Units	Specifications	Test Value	
APPEARANCE		REPORT	White crystals	
ASSAY	%	Inclusive Between 99.8 - 100.3	99.94	
IDENTIFICATION	PASS/FAIL	IN PASS TEST	PASS TEST	
INSOLUBLE IN DILUTE NITRIC ACID	%	<= 0.010	0.001	
MANGANESE (Mn)	ppm	<= 3	<3	
OTHER HALOGENS	%	<= 0.02	<0.02	

Julian Burton - Quality Control Manager – Fair Lawn

Julian Burton