

## Certificate of Analysis

1 Reagent Lane  
 Fair Lawn, NJ 07410  
 201.796.7100 tel  
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System  
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120633

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	S429	Quality Test / Release Date	03/14/2024
Lot Number	234846		
Description	SODIUM SULFATE ANHYDROUS USP/FCC POWDER		
Country of Origin	India	Suggested Retest Date	Dec/2025
Chemical Origin	Inorganic-non animal		
BSE/TSE Comment	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		

FCC Grade			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White powder
ASSAY	%	Inclusive Between 99.0 - 100.5	99.2
IDENTIFICATION (ALL LISTED)	PASS/FAIL	= PASS TEST	PASS TEST
LEAD (Pb)	MG/KG	<= 2	<2
LOSS ON DRYING PER FCC	%	<= 1	0.2
SELENIUM	%	<= 0.003	<0.003

USP Grade			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White powder
ACIDITY OR ALKALINITY	PASS/FAIL	= PASS TEST	PASS TEST
ASSAY	%	>= 99.0	99.2
CHLORIDE	%	<= 0.02	<0.02
IDENTIFICATION (ALL LISTED)	PASS/FAIL	= PASS TEST	PASS TEST
LOSS ON DRYING PER USP	%	<= 0.5	0.2
RESIDUAL SOLVENTS	Meets Requirements	= MEETS REQUIREMENTS	MEETS REQUIREMENTS

Residual Solvents	Based upon knowledge of our process and raw materials, no solvents - Class 1, Class 2 or Class 3 solvents are used in the manufacture or purification of this product
-------------------	---



Harout Sahagian - Quality Control Manager - Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.

If there are any questions with this certificate, please call at (800) 227-6701.

\*Based on suggested storage condition.