

Certificate of Analysis

1 Reagent Lane
 Fair Lawn, NJ 07410
 201.796.7100 tel
 201.796.1329 fax

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System
 Standard ISO9001:2015 by SAI Global Certificate Number CERT – 0120632

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the final formulator and end user to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalog Number	SI92	Quality Test / Release Date	04/09/2020
Lot Number	200065	Expiration Date	Oct/2021
Description	IODINE, 0.02N, CERTIFIED		
Country of Origin	United States		

N/A			
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear, Deep-Amber liquid
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
NORMALITY	NORMAL	Inclusive Between 0.0195 - 0.0205	0.0202
TRACEABLE TO NIST	POTASSIUM DICHROMATE	= LOT NUMBER USED	SRM 136f



Julian Burton - Quality Control Manager – Fair Lawn

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of this catalog number listed above.
 If there are any questions with this certificate, please call at (800) 227-6701.

*Based on suggested storage condition.