

Certificate of Analysis

Uracil DNA Glycosylase

Product No. 18054015, 10748653

Lot No. 3083234

Date of Manufacture 26-Dec-2024

Expiration Date 24-Jun-2027

Refractive Index

Specification: 1.40 - 1.41

Result: Meets Specification

Unit

Specification: ≥ 1 unit/ μ l

Result: Meets Specification

Endonuclease

Specification: Compared to the negative control, there must be $\leq 5\%$ degradation of ϕ X174 (+) strand DNA when incubated with 50 units of enzyme for 5 hours at 37°C.

Result: Meets Specification

Exonuclease

Specification: With 1 pmol of the relevant substrate the following criteria must be obtained after a 1-hour incubation: 5' ss, 3' ds, 5' ds % released: $\leq 0.01\%$ of termini released per unit of enzyme.

Result: Meets Specification

RNase

Specification: No degradation of CAT Control RNA when incubated with enzyme for 5 hours at 37°C.

Result: Meets Specification

For Research Use Only. Not for use in diagnostic procedures.

Thermo Fisher Scientific
Life Sciences Solutions
5781 Van Allen Way
Carlsbad, CA, USA 92008
<https://www.thermofisher.com>
For inquiries, contact us at cofarequests@thermofisher.com

A handwritten signature in blue ink, appearing to read 'Chevohn Joseph', with a long horizontal flourish extending to the right.

Chevohn Joseph
Director, Quality
Issued on 06-Jan-2025