

Certificate of Analysis

TOP10 Electrocomp™ Cells

Product No. C404052, 10082692

Lot No. 2972653

Date of Manufacture 19-Jul-2024

Expiration Date 29-Apr-2026

Transformation Efficiency 20µl of electrocompetent cells are transformed with 10 pg of supercoiled pUC 19 plasmid DNA. Test transformations are performed on 10 to 40 vials per lot, depending on batch size. Transformed cultures are plated on LB plates containing 100 µg/ml ampicillin and incubated overnight. Transformation efficiency must be greater than 1.0×10^9 cfu/µg pUC19.

RecA -Phenotype Inhibited growth in presence of nitrofurantoin (8 µg/ml), indicating the absence of RecA -.

Antibiotic Sensitivity No growth on plates containing ampicillin (100 µg/ml), indicating the absence of any plasmid-encoded ampicillin resistance genes. No growth on plates containing kanamycin (50 µg/ml), indicating the absence of any plasmid-encoded kanamycin resistance. No growth on plates containing tetracycline (15 µg/ml), indicating the absence of any plasmid-encoded tetracycline resistance genes. No growth on plates containing Zeocin™ (50 µg/ml), indicating the absence of any plasmid-encoded Zeocin™ resistance genes. No growth on plates containing chloramphenicol (15 µg/ml), indicating the absence of any plasmid-encoded chloramphenicol resistance genes.

Marker Identification Exhibits growth on plates containing streptomycin (100 µg/ml), indicating the presence of streptomycin-resistance marker.

Auxotrophic Markers Inhibited growth on 2B plates and growth on 2B leu plates, indicating the presence of auxotrophic markers for leucine.

Lac -Phenotype Exhibits growth of white colonies on X-gal IPTG plates, indicating a Lac -phenotype.

Gal -Phenotype Exhibits growth of white colonies on MacConkey galactose plates, indicating a Gal -phenotype.

Sterility To verify the absence of bacteriophage contamination, 0.5-1.0 ml of TOP10 Electrocomp™ cells are added to LB top agar and poured over LB plates. After overnight incubation, no plaques should be detected.

Overall Results Product meets all specifications.

For Research Use Only. Not for use in diagnostic procedures.

Thermo Fisher Scientific
Life Sciences Solutions
5781 Van Allen Way
Carlsbad, CA, USA 92008
<https://www.thermofisher.com>
For inquiries, contact us at cofarequests@thermofisher.com



Chevohn Joseph
Director, Quality
Issued on 24-Jul-2024