

Certificate of Analysis

AmpliTaq™ DNA Polymerase with Buffer I

Product No. N8080155, 10147874

Lot No. 3103150

Date of Manufacture 24-Jan-2025

Expiration Date 15-Nov-2026

Enzyme Activity

Specification: 5.0 +/- 0.5 units/ul

Result: Meets specification

Enzyme Amplification of Genomic DNA

Specification: One PCR product band at 800 base pairs is visualized on a gel indicating at least 1.5 X 10⁵ fold amplification of genomic DNA

Result: Meets specification

Single-Stranded Endonuclease

Specification: ≤ 20% degradation of M13mp19(+) strand DNA/ 8U enzyme compared to control

Result: Meets specification

Double-Stranded Endonuclease

Specification: ≤ 40% conversion of PhiX174 RF DNA to Form II and ≤ 10% conversion to Form III with 8 units of enzyme

Result: Meets specification

Exonuclease

Specification: 5' ds exonuclease assay: ≤ 2.0% of termini released per unit of enzyme

Result: Meets specification

Specification: 3' ds exonuclease assay: ≤ 0.3% of termini released per unit of enzyme

Result: Meets specification

Buffer Amplification of Genomic DNA

Specification: One PCR product band at 800 base pairs is visualized on a gel indicating at least 1.5×10^5 fold amplification of genomic DNA

Result: Meets specification

Buffer I Magnesium Concentration

Specification: 13.5 - 17.0 mM

Result: Meets specification

For Research Use Only. Not for use in diagnostic procedures.

Thermo Fisher Scientific
Life Sciences Solutions
5781 Van Allen Way
Carlsbad, CA, USA 92008
<https://www.thermofisher.com>
For inquiries, contact us at cofarequests@thermofisher.com



Chevohn Joseph
Director, Quality
Issued on 24-Jan-2025