

E-cadherin Monoclonal Antibody (HECD-1)

invitrogen

Product Details	
Size	100 μg
Species reactivity	Guinea pig, Human
Published species	Avian, Bovine, Dog, Fruit fly, Human, Insect, Mouse, Rat
Host / Isotype	Mouse / IgG1
Class	Monoclonal
Туре	Antibody
Clone	HECD-1
Conjugate	Unconjugated
Immunogen	Human breast tumor cell line MCF-7.
Form	Lyophilized
Concentration	2.0 mg/mL
Purification	Ion-exchange chromatography
Storage buffer	PBS, pH 7.4, with 1% BSA
Contains	no preservative
Storage conditions	4°C
RRID	AB_2533003

Applications	Tested Dilution	Publications
ELISA (ELISA)	2-10 μg/mL	1 Publication
Flow Cytometry (Flow)	1 μg/mL	7 Publications
Immunocytochemistry (ICC/IF)	1 μg/mL	50 Publications
Immunohistochemistry (IHC)	-	38 Publications
Immunohistochemistry (Frozen) (IHC (F))	2-10 μg/mL	4 Publications
Immunohistochemistry (Paraffin) (IHC (P))	2-10 μg/mL	46 Publications
Immunoprecipitation (IP)	-	3 Publications
Inhibition Assays (IA)	100 μg/mL	3 Publications
Miscellaneous Pubmed (Misc)	-	96 Publications
Neutralization (Neu)	-	1 Publication
Western Blot (WB)	2-10 μg/mL	45 Publications

Product Specific Information

Source: Monoclonal antibody was obtained by fusing the P3-X63-Ag8-U1 mouse myeloma cell line with spleen cells of BALB/c mouse after immunization with human breast tumor cell line MCF-7.

Specificity: This antibody specifically reacts with human E-cadherin. This antibody inhibits E-cadherin dependent cell-cell contact. Cross reactivity: This antibody reacts with guinea pig E-cadherin. This antibody does not react with bovine, dog, rat or chicken E-cadherin. Storage: 4° C This product does not contain preservative. The stock solution (2.0 mg/mL) should be stored in aliquots at -20°C for 1 year, or should be stored at 4° C for 6 months after adding 0.1% sodium azide. Avoid repeated freeze-thaw cycles. Diluted antibody should not be stored. Reconstitution: Dissolve the lyophilized antibody in 50 μ L of distilled water (final concentration: 2.0 mg/mL). This solution can be used as a stock solution. If dilution is necessary for your application, dilute the stock solution with the following Dilution solution just prior to use. When the entire amount of antibody is to be used over a short time period, it may be dissolved directly in 500 μ L or more of the Dilution solution. Be sure to store the antibody at a minimum concentration of 2.0 mg/mL. A lower antibody concentration may result in decreased stability. Reconstituted antibody solution should contain 0.1% sodium azide as a preservative when stored at 4° C.

Ca2+ should be contained in all the buffers to stabilize cadherin antigen.



Products are under warranty for one year from the date of shipment unless otherwise stated on this document or the product label.

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample.

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT. BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PERIOD IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS AS THE RESULT OF INFORMING PRODUCTS AS THE RESULT OF OR REPORT OF THE NON-CONFORMING PRODUCTS AS THE RESULT OF OR THE PRODUCTS AS THE RESULT OF OR THE PRODUCTS AS THE RESULT OF OR BY BUYER'S GIVEN THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, is intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.