Lot Number: 79503377



Goat anti-Mouse IgG Fc Cross-Adsorbed Secondary Antibody, APC

Product Details	
Size	500 μL
Species reactivity	Mouse
Host / Isotype	Goat / IgG
Class	Polyclonal
Туре	Secondary Antibody
Conjugate	APC
Target class	IgG Fc
Form	Lyophilized
Concentration	0.5 mg/mL
Purification	Affinity chromatography
Storage buffer	PBS, pH 7.6, with 15mg/mL BSA
Contains	0.05% sodium azide
Storage conditions	4°C
RRID	AB_429724

Applications	Tested Dilution	Publications
Flow Cytometry (Flow)	1:500	-
Immunocytochemistry (ICC/IF)	4 μg/mL	-
Immunohistochemistry (IHC)	1:50 - 1:200	-
Immunoprecipitation (IP)	1:50 - 1:200	-

Product Specific Information

Concentration may vary slightly from lot-to-lot, see lot-specific datasheet for exact concentration.

Product # 31981 has been successfully used in Western blot, IF, ICC, IHC, IP and FACS applications.

Product # 31981 reacts with the heavy chains of mouse IgG subclasses 1, 2a, 2b, and 34, but not with light chains common to most mouse immunoglobulins. This antibody does not react against mouse IgM, or against non-immunoglobulin serum proteins. The antibody has been tested by ELISA and/or solid-phase adsorbed to ensure minimal cross-reaction with human, bovine, and rabbit serum proteins. However, these antibodies may cross-react with immunoglobulins from other species.

Phycobiliprotein Concentration: 0.5 mg/mL (determined by absorption = 73 at 650 nm for a 1% solution

for only those APC molecules to which at least one molecule of active antibody is bound)

Allophycocyanin: Purified from Spirulina platensis

Store product protected from light at 4°C until opened. To extend the shelf-life of this product, add an equal volume of glycerol to make a final concentration of approximately 50% glycerol and store at -20°C. After dilution, do not use for more than one day. Do not freeze. Allophycocyanin Amax= 650 nm; Emax= 660 nm.

Reconstitute with 0.5 mL of distilled water (0.5 mg/mL after restoration).

Country of Origin: USA

Visit thermofisher.com to view references and figures.

Products are under warranty for one year from the date of shipment unless otherwise stated on this document or the product label.

Products are warranted to operate or perform substantially in conformance with published Product specifications in effect at the time of sale, as set forth in the Production documentation, specifications and/or accompanying package inserts ("Documentation"). No claim of suitability for use in applications regulated by FDA is made. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated in the Documentation, this warranty is limited to one year from date of shipment when the Product is subjected to normal, proper and intended usage. This warranty does not extend to anyone other than the Buyer. Any model or sample furnished to Buyer is merely illustrative of the general type and quality of goods and does not represent that any Product will conform to such model or sample.

NO OTHER WARRANTIES, EXPRESS OR IMPLED, ARE GRANTED INCLUDING WITHOUT LIMITATION, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON INFRINGEMENT, BUYER'S EXCLUSIVE REMEDY FOR NON-CONFORMING PRODUCTS DURING THE WARRANTY PRICID IS LIMITED TO REPAIR, REPLACEMENT OF OR REFUND FOR THE NON-CONFORMING PRODUCTS STELLER'S SOLE OPTION. THERE IS NO OBLIGATION TO REPAIR, REPLACE OR REFUND FOR PRODUCTS AS THE RESULT OF (I) ACCIDENT, DISASTER OR EVENT OF FORCE MAJEURE, (II) MUSES, FAULT OR NEGLIGENCE OF OR BY BUYER, (III) USE OF THE PRODUCTS IN A MANNER FOR WHICH THEY WERE NOT DESIGNED, OR (IV) IMPROPER STORAGE AND HANDLING OF THE PRODUCTS. Unless otherwise expressly stated on the Product or in the documentation accompanying the Product, in Intended for research only and is not to be used for any other purpose, including without limitation, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses, or any type of consumption by or application to human or animals.

