Certificate of Analysis PSC 4-marker Immunocytochemistry Kit , 1 Kit



Part Number: A24881 Lot Number: 3232211 Immediate Storage: -20°C Shipping Conditions: dry ice

5781 Van Allen Way Carlsbad, CA 92008 Phone: 760.603.7200 www.thermofisher.com

Components:

| Description | Composition | Quantity | Part Number | Lot Number |
|--|--|----------|-------------|-------------|
| anti-OCT4 (host:rabbit) | 200X, aqueous antibody solution | 10 μL | A24867 | 20H |
| anti-SSEA4 (host: mouse IgG3) | 100X, aqueous antibody solution | 20 μL | A24866 | AB405600A |
| anti-SOX2 (host: rat) | 100X, aqueous antibody solution | 20 μL | A24759 | LLH10D0318A |
| anti-TRA-1-60 (host: mouse IgM) | 100X, aqueous antibody solution | 20 μL | A24868 | ZL405955A |
| Alexa Fluor® 555 donkey anti-rabbit | 250X, aqueous antibody solution | 20 μL | A24869 | 3029771A |
| Alexa Fluor® 594 donkey anti-rabbit | 250X, aqueous antibody solution | 20 μL | A24870 | 2897798C |
| Alexa Fluor® 488 goat anti-mouse IgG3 | 250X, aqueous antibody solution | 20 μL | A24877 | 2831350D |
| Alexa Fluor® 488 donkey anti-rat | 250X, aqueous antibody solution | 20 μL | A24876 | 2892444B |
| Alexa Fluor® 555 donkey anti-mouse IgM | 250X, aqueous antibody solution | 20 μL | A24871 | 2935317A |
| Alexa Fluor® 594 donkey anti-mouse IgM | 250X, aqueous antibody solution | 20 μL | A24872 | 2720382E |
| NucBlue® Fixed Cell Stain | DAPI nuclear DNA stain, aqueous dye solution | 1 vial | R37606 | 3123552 |
| Fixative Solution | 1X, 4% paraformaldehyde in DPBS | 10 mL | A24344 | 3062988A |
| Permeabilization Solution S | 1X, 1% Saponin in DPBS | 10 mL | A24878 | 3063035A |
| Blocking Solution | 1X, 3% BSA in DPBS | 20 mL | A24353 | 3062989A |
| Wash Buffer | 10X, DPBS | 20 mL | A24348 | 3047888A |

Storage and Handling: The performance of this product is guaranteed for 6 months from the date of purchase if stored and handled properly.

| Description | Storage and Handling | |
|---|--|--|
| anti-OCT4 (host:rabbit) | Dilute with blocking solution. Use aseptic technique. | |
| | Store at 4°C for up to 6 months. ¹ | |
| anti-SSEA4 (host: mouse IgG3) | Dilute with blocking solution. Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| anti-SOX2 (host: rat) | Dilute with blocking solution. Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| anti-TRA-1-60 (host: mouse lgM) | Dilute with blocking solution. Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| Alexa Fluor [®] 555 donkey anti-rabbit | Ex/Em 555/565 nm (orange); for use with anti-OCT4 | |
| | Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| | Labeled secondary antibodies require spinning. ² | |
| Alexa Fluor® 594 donkey anti-rabbit | Ex/Em 590/617 nm (red); for use with anti-OCT4 | |
| | Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| | Labeled secondary antibodies require spinning. ² | |
| Alexa Fluor® 488 goat anti-mouse IgG3 | Ex/Em 495/519 nm (green); for use with anti-SSEA4. | |
| | Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| | Labeled secondary antibodies require spinning. ² | |
| Alexa Fluor® 488 donkey anti-rat | Ex/Em 495/519 nm (green); for use with anti-SOX2. | |
| | Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| | Labeled secondary antibodies require spinning. ² | |
| Alexa Fluor® 555 donkey anti-mouse IgM | Ex/Em 555/565 nm (orange); for use with anti-TRA-1-60 | |
| | Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| | Labeled secondary antibodies require spinning. ² | |
| Alexa Fluor® 594 donkey anti-mouse IgM | Ex/Em 590/617 nm (red); for use with anti-TRA-1-60 | |
| | Use aseptic technique. | |
| | Store at 4°C for up to 6 months.1 | |
| | Labeled secondary antibodies require spinning. ² | |
| NucBlue® Fixed Cell Stain | Ex/Em 358/461 (blue); apply 2 drops/mL. | |
| | Use aseptic technique. | |
| | -20°C to ambient. | |
| Fixative Solution | Use aseptic technique. | |
| | -20°C to ambient. | |
| Permeabilization Solution S | Use aseptic technique. | |
| | -20°C to ambient. | |
| Blocking Solution | Use aseptic technique. | |
| | -20°C to ambient. | |
| Wash Buffer | Dilute to 1X with water before using. Use aseptic technique. | |
| | -20°C to ambient. | |

Certificate of Analysis

Part Number: A24881, Lot Number: 3232211

Protocol or Product Information Sheet: Visit www.lifetechnologies.com and search on part number A24881 and select manuals.

All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. Alexa Fluor is a registered trademark of Life Technologies Corporation.

NucBlue is a registered trademark of Life Technologies Corporation.

¹ Allow frozen reagents to thaw completely before using them. **Once thawed, the kit components should not be refrozen (aliquots not recommended).**

 $^{^2}$ Centrifuge secondary antibody solutions for 2 minutes at 10,000 x g and add only the supernatant to the Blocking Solution. This step eliminates any antibody aggregates that may have formed during storage, thereby reducing non-specific background staining.