Certificate of Analysis PSC 4-marker Immunocytochemistry Kit , 1 Kit



Part Number: A24881 Lot Number: 3251409 Immediate Storage: -20°C Shipping Conditions: dry ice

5781 Van Allen Way Carlsbad, CA 92008 Phone: 760.603.7200 www.thermofisher.com

Components:

Description	Composition	Quantity	Part Number	Lot Number
anti-OCT4 (host:rabbit)	200X, aqueous antibody solution	10 μL	A24867	20J
anti-SSEA4 (host: mouse IgG3)	100X, aqueous antibody solution	20 μL	A24866	AB405600B
anti-SOX2 (host: rat)	100X, aqueous antibody solution	20 μL	A24759	LLH02H8784B
anti-TRA-1-60 (host: mouse IgM)	100X, aqueous antibody solution	20 μL	A24868	ZA389773C
Alexa Fluor® 555 donkey anti-rabbit	250X, aqueous antibody solution	20 μL	A24869	2831376B
Alexa Fluor® 594 donkey anti-rabbit	250X, aqueous antibody solution	20 μL	A24870	2897798C
Alexa Fluor® 488 goat anti-mouse IgG3	250X, aqueous antibody solution	20 μL	A24877	2831350D
Alexa Fluor® 488 donkey anti-rat	250X, aqueous antibody solution	20 μL	A24876	2892444A
Alexa Fluor® 555 donkey anti-mouse IgM	250X, aqueous antibody solution	20 μL	A24871	2752584B
Alexa Fluor® 594 donkey anti-mouse IgM	250X, aqueous antibody solution	20 μL	A24872	2720382B
NucBlue® Fixed Cell Stain	DAPI nuclear DNA stain, aqueous dye solution	1 vial	R37606	3123552
Fixative Solution	1X, 4% paraformaldehyde in DPBS	10 mL	A24344	3149892A
Permeabilization Solution S	1X, 1% Saponin in DPBS	10 mL	A24878	3063035A
Blocking Solution	1X, 3% BSA in DPBS	20 mL	A24353	3062989A
Wash Buffer	10X, DPBS	20 mL	A24348	3047888A

Storage and Handling: The performance of this product is guaranteed for 6 months from the date of purchase if stored and handled properly.

Description	Storage and Handling	
anti-OCT4 (host:rabbit)	Dilute with blocking solution. Use aseptic technique.	
	Store at 4°C for up to 6 months. ¹	
anti-SSEA4 (host: mouse IgG3)	Dilute with blocking solution. Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
anti-SOX2 (host: rat)	Dilute with blocking solution. Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
anti-TRA-1-60 (host: mouse lgM)	Dilute with blocking solution. Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
Alexa Fluor [®] 555 donkey anti-rabbit	Ex/Em 555/565 nm (orange); for use with anti-OCT4	
	Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
	Labeled secondary antibodies require spinning. ²	
Alexa Fluor® 594 donkey anti-rabbit	Ex/Em 590/617 nm (red); for use with anti-OCT4	
	Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
	Labeled secondary antibodies require spinning. ²	
Alexa Fluor® 488 goat anti-mouse IgG3	Ex/Em 495/519 nm (green); for use with anti-SSEA4.	
	Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
	Labeled secondary antibodies require spinning. ²	
Alexa Fluor® 488 donkey anti-rat	Ex/Em 495/519 nm (green); for use with anti-SOX2.	
	Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
	Labeled secondary antibodies require spinning. ²	
Alexa Fluor® 555 donkey anti-mouse IgM	Ex/Em 555/565 nm (orange); for use with anti-TRA-1-60	
	Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
	Labeled secondary antibodies require spinning. ²	
Alexa Fluor® 594 donkey anti-mouse IgM	Ex/Em 590/617 nm (red); for use with anti-TRA-1-60	
	Use aseptic technique.	
	Store at 4°C for up to 6 months.1	
	Labeled secondary antibodies require spinning. ²	
NucBlue® Fixed Cell Stain	Ex/Em 358/461 (blue); apply 2 drops/mL.	
	Use aseptic technique.	
	-20°C to ambient.	
Fixative Solution	Use aseptic technique.	
	-20°C to ambient.	
Permeabilization Solution S	Use aseptic technique.	
	-20°C to ambient.	
Blocking Solution	Use aseptic technique.	
	-20°C to ambient.	
Wash Buffer	Dilute to 1X with water before using. Use aseptic technique.	
	-20°C to ambient.	

Certificate of Analysis

Part Number: A24881, Lot Number: 3251409

Protocol or Product Information Sheet: Visit www.lifetechnologies.com and search on part number A24881 and select manuals.

All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. Alexa Fluor is a registered trademark of Life Technologies Corporation.

NucBlue is a registered trademark of Life Technologies Corporation.

¹ Allow frozen reagents to thaw completely before using them. **Once thawed, the kit components should not be refrozen (aliquots not recommended).**

 $^{^2}$ Centrifuge secondary antibody solutions for 2 minutes at 10,000 x g and add only the supernatant to the Blocking Solution. This step eliminates any antibody aggregates that may have formed during storage, thereby reducing non-specific background staining.