

CERTIFICATE OF ANALYSIS

PRODUCT CM1046B
BRILLIANCE E COLI/COLIFORM SEL MED 500g

LOT NUMBER 6261181

EXPIRY DATE 2028.05.31

DATE OF MANUFACTURE 2025.04.17

Delivery/Customer information

Date Printed

2025.05.14

Delivery No.

Customer

Customer Order Number

Physical Characteristics	Results	Specification
Appearance	Straw powder	Straw powder
Colour on reconstitution	Straw 1	Straw 1-2
pH (25°C)	6.7	6.5 - 6.9
Clarity	Clear	Clear

Microbiological Performance	Control cfu	Test cfu	Recovery Test %	Description
Aerobic incubation at 37°C for 24 hours				
<i>Escherichia coli</i> ATCC®25922	52	42	81	Purple cols
<i>Escherichia coli</i> ATCC®35218	41	41	100	Purple cols
<i>Klebsiella pneumoniae</i> ATCC®29665	57	54	94	Pink cols
<i>Klebsiella pneumoniae</i> ATCC®13883	38	36	95	Pink cols
	Control cfu	Test cfu	Log(10) Reduction	
<i>Staphylococcus aureus</i> ATCC®25923	7.7E+04	0.0E+00	5	No growth
<i>Enterococcus faecalis</i> ATCC®29212	4.8E+04	0.0E+00	4	No growth
<i>Escherichia coli</i> ATCC®25922	>1E+04	-	-	Indole positive
<i>Escherichia coli</i> ATCC®35218	>1E+04	-	-	Indole positive
<i>Klebsiella pneumoniae</i> ATCC®29665	>1E+04	-	-	Indole negative
<i>Klebsiella pneumoniae</i> ATCC®13883	>1E+04	-	-	Indole negative

Control Medium: Tryptone Soya Agar

A satisfactory result is represented by recovery of positive strains equal to or greater than 70% of the control medium from an inoculum of 10-100 colony-forming units (cfu). Negative strains are inhibited or shall produce at least a 2 log (10) reduction when compared to the control medium.
Refer to product specification for full details.

CERTIFICATE OF ANALYSIS

PRODUCT	CM1046B
LOT NUMBER	BRILLIANCE E COLI/COLIFORM SEL MED 500g 6261181

The accuracy of the information provided in this certificate of analysis / conformity is considered reliable. However, it is important to note that (i) the information is only applicable, and (ii) the product is only approved, for the product's intended use as specified on the label, specification, and website. No warranty is hereby implied. This certificate may only be reproduced in its entirety and cannot be replicated partially or in any altered form.

Lot Accepted. 2025.04.30

This certificate is produced electronically and valid without a signature.

ATCC is a registered trade mark of the American Type Culture Collection.

NCTC and National Collection of Type Cultures are registered trade marks of the Health Protection Agency.