

CERTIFICATE OF ANALYSIS

PRODUCT CM0067B
NUTRIENT BROTH NO.2 500g

LOT NUMBER 6272933

EXPIRY DATE 2030.06.30

DATE OF MANUFACTURE 2025.05.21

Delivery/Customer information

Date Printed

2025.06.10

Delivery No.

Customer

Customer Order Number

Physical Characteristics	Results	Specification
Appearance	Straw powder	Straw powder
Colour on reconstitution	Straw 2	Straw 2-3
pH (25°C)	7.5	7.3 - 7.7
Clarity	Clear	Clear
Blood compatibility with horse blood	Satisfactory	Satisfactory
Blood compatibility with sheep blood	Satisfactory	Satisfactory

Microbiological Performance	Initial Inoculum	Test Result
Aerobic incubation at 37°C for 18 hours		
<i>Enterococcus faecalis</i> ATCC®19433	50	Turbid growth
<i>Streptococcus pyogenes</i> ATCC®19615	44	Turbid growth
<i>Staphylococcus aureus</i> ATCC®25923	73	Turbid growth
<i>Escherichia coli</i> ATCC®25922	75	Turbid growth
<i>Bacillus subtilis</i> ATCC®6633	96	Turbid growth
<i>Pseudomonas aeruginosa</i> ATCC®27853	43	Turbid growth

Control Media: Tryptone Soya Agar or Columbia Blood Agar Base enriched with 5% v/v horse blood, where appropriate

A satisfactory result is represented by visible growth from an inoculum of 10-100 colony-forming units (cfu).
Refer to product specification for full details.

The accuracy of the information provided in this certificate of analysis / conformity is considered reliable. However, it is important to note that (i) the information is only applicable, and (ii) the product is only approved, for the product's intended use as specified on the label, specification, and website. No warranty is hereby implied. This certificate may only be reproduced in its entirety and cannot be replicated partially or in any altered form.

Lot Accepted. 2025.06.09

This certificate is produced electronically and valid without a signature.

ATCC is a registered trade mark of the American Type Culture Collection.
NCTC and National Collection of Type Cultures are registered trade marks of the Health Protection Agency.